

MATERIAL SAFETY DATA SHEET

According to Regulation (EU) No 453/2010

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : VECTAIR AIROMA FLORAL SILK BAERO-08
Product code : 1252253

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU22 Professional use. For industrial or institutional use. PC3 Airfreshener.

1.3. Details of the supplier of the safety data sheet

Supplier : Vectair System Ltd
Unit 3, Trident Centre, Armstrong Road
Basingstoke, Hampshire RG24 8NU, Great Britain
Telephone : +44-1256-319500
Fax : +44-1256-319510
E-mail : msds@vectair.co.uk
Website : www.vectairsystems.co.uk

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

GB - Telephone : +44-1256-319500

(During office hours only)

EMERGENCY TELEPHONE NUMBER (for DOCTORS only):

(24/7)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (99/45/EC) : Extremely flammable. Dangerous for the environment.
CLP classification (1272/2008/EC) : Aerosols, category 1. Eye irritation, category 2. Skin sensitization, category 1. Specific target organ toxicity after single exposure, category 3. Hazardous to the aquatic environment — Chronic category 3.
Human health hazards : May cause an allergic skin reaction. Causes serious eye irritation. May cause drowsiness or dizziness. Exposure to high vapour concentrations may result in a narcotic effect. Use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.
Physical/chemical hazards : Extremely flammable. Keep away from sources of ignition — No smoking. Do not spray on a naked flame or any incandescent material. Do not spray near fire, sources of heat or live electrical equipment. Aerosol may explode from internal pressure build-up when exposed to temperatures exceeding 50 °C.
Environmental hazards : Harmful to aquatic life with long lasting effects.
Other information : Keep out of the reach of children. Caution: Do not breathe spray. Use only in well-ventilated areas. Spray in short intervals for a short period only. Ventilate well after use. Harmful to house pets.

2.2. Label elements

Label elements (99/45/EC):

Hazard symbols :



F+: Extremely flammable

R- and S-phrases : R12 Extremely flammable.

MATERIAL SAFETY DATA SHEET

According to Regulation (EU) No 453/2010

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
S2 Keep out of the reach of children.
S16 Keep away from sources of ignition — No smoking.
S23 Aerosol Do not breathe spray.
S51 Use only in well-ventilated areas.

Additional labelling : Important: Pressurized container; protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material.

Label elements (1272/2008/EC):

Hazard pictograms :



Signal word : Danger

H- and P-phrases : H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.
H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.
P251 Do not pierce or burn, even after use.
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 Do not spray on an open flame or other ignition source.
P280 gloves Wear protective gloves.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/container to an official chemical waste depot.

Additional labelling (99/45/EC and/or 1272/2008/EC)

: Where the mixture is labelled in accordance with Regulation (EC) No 1272/2008 (CLP) the packaging shall (also) carry the text: Contains: Propan-2-ol ; (Z)-3-hexenyl salicylate ; 3-p-Cumenyl-2-methylpropionaldehyde ; 3,7-Dimethylocta-1,6-diene ; Eugenol ; Phenol, 2-methoxy-, reaction products with 2,2-dimethyl-3-methylenebicyclo[2.2.1]heptane, hydrogenated ; Geraniol .
: 6 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity.

2.3. Other hazards

Other information : The classification of this product is based on the non-aerosolised form of the mixture (on basis of section 1.1.3.7. of Regulation (EC) No 1272/2008). The product does not need to carry all label elements required by Article 17 of Regulation (EC) No 1272/2008 on the basis of Annex I, point 1.5.2.1. Exemption for packages where the contents do not exceed 125 ml. Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

| Substance name | Concentration (w/w) (%) | CAS nr. | EC number | Symbols | R-phrases |
|----------------|-------------------------|---------|-----------|---------|-----------|
| Propane | 10 - < 20 | 74-98-6 | 200-827-9 | F+ | 12 |
| Ethanol | 10 - < 20 | 64-17-5 | 200-578-6 | F | 11 |
| Isobutane | 25 - 50 | 75-28-5 | 200-857-2 | F+ | 12 |

Product name : Vectair Airoma Floral Silk BAERO-08

Date of issue : 11-11-2014

Replaces issue dated

: ---

Page 2/15

INFO CARE MSDS

MATERIAL SAFETY DATA SHEET

According to Regulation (EU) No 453/2010

| | | | | | |
|--|-----------|------------|-----------|-------|-------------|
| Geraniol | < 0,1 | 106-24-1 | 203-377-1 | Xi | 38-41-43 |
| Phenol, 2-methoxy-, reaction products with 2,2-dimethyl-3-methylenebicyclo[2.2.1]heptane, hydrogenated | < 0,1 | 70955-71-4 | 275-062-7 | Xi | 43 |
| Eugenol | < 0,1 | 97-53-0 | 202-589-1 | Xi | 36-43 |
| 3,7-Dimethylocta-1,6-diene | < 0,1 | 2436-90-0 | 219-433-3 | Xi | 10-38-43-65 |
| 3-p-Cumenyl-2-methylpropionaldehyde | < 0,1 | 103-95-7 | 203-161-7 | Xn; N | 38-43-51/53 |
| Undecan-4-olide | 0,1 - < 1 | 104-67-6 | 203-225-4 | N | 51/53 |
| 4-(2,6,6-trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one | 0,1 - < 1 | 14901-07-6 | 238-969-9 | N | 51/53 |
| Geranyl acetate | 0,1 - < 1 | 105-87-3 | 203-341-5 | N | 51/53 |
| 3,7-Dimethyloctan-3-ol | 0,1 - < 1 | 78-69-3 | 201-133-9 | Xi; N | 38-51/53 |
| Isobutyl salicylate | 0,1 - < 1 | 87-19-4 | 201-729-9 | Xn | 22 |
| Benzyl acetate | 0,1 - < 1 | 140-11-4 | 205-399-7 | ---- | ---- |
| Naphtha (petroleum), hydrotreated heavy | 0,1 - < 1 | 64742-48-9 | 265-150-3 | Xn | 65-66 |
| (Z)-3-hexenyl salicylate | 0,1 - < 1 | 65405-77-8 | 265-745-8 | Xi; N | 43-50/53 |
| A mixture of: cis-tetrahydro-2-isobutyl-4-methylpyran-4-ol; trans-tetrahydro-2-isobutyl-4-methylpyran-4-ol | 0,1 - < 1 | 63500-71-0 | 405-040-6 | Xi | 36 |
| 2-Phenylethanol | 0,1 - < 1 | 60-12-8 | 200-456-2 | Xn | 22-36 |
| Linalyl acetate | 0,1 - < 1 | 115-95-7 | 204-116-4 | Xi | 38 |
| Butane | 0,1 - < 1 | 106-97-8 | 203-448-7 | F+ | 12 |
| 2,6-Dimethyloct-7-en-2-ol | 1 - < 5 | 18479-58-8 | 242-362-4 | Xi | 38 |
| Propyleneglycol | 5 - < 10 | 57-55-6 | 200-338-0 | ---- | ---- |
| Propan-2-ol | 5 - < 10 | 67-63-0 | 200-661-7 | F; Xi | 11-36-67 |

Reference is made to chapter 16 for full text of each relevant R phrase. Occupational exposure limit(s), if relevant, are listed in section 8.

| Substance name | REACH nr. | Hazard Class | Pictograms | H-phrases |
|--|------------------|--|---------------------|------------------------|
| Propane | 01-2119486944-21 | Flam. Gas 1; Press. Gas | GHS02; GHS04 | H220; H280 |
| Ethanol | 01-2119457610-43 | Flam. Liq. 2; Eye Irrit. 2 | GHS02; GHS07 | H225; H319 |
| Isobutane | 01-2119485395-27 | Flam. Gas 1; Press. Gas | GHS02; GHS04 | H220; H280 |
| Geraniol | 01-2119552430-49 | Skin Sens. 1; Eye Dam. 1; Skin Irrit. 2 | GHS05; GHS07 | H317; H318; H315 |
| Phenol, 2-methoxy-, reaction products with 2,2-dimethyl-3-methylenebicyclo[2.2.1]heptane, hydrogenated | | Skin Sens. 1 | GHS07 | H317 |
| Eugenol | | Eye Irrit. 2; Skin Sens. 1 | GHS07 | H319; H317 |
| 3,7-Dimethylocta-1,6-diene | | Flam. Liq. 3; Asp. Tox. 1; Skin Irrit. 2; Skin Sens. 1 | GHS02; GHS07; GHS08 | H226; H304; H315; H317 |
| 3-p-Cumenyl-2-methylpropionaldehyde | 01-2119970582-32 | Skin Irrit. 2; Skin Sens. 1; Aquatic Chronic 2 | GHS07 | H315; H317 |
| Undecan-4-olide | 01-2119959333-34 | Aquatic Chronic 2 | GHS09 | H411 |
| 4-(2,6,6-trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one | 01-2119937833-30 | Aquatic Chronic 2 | GHS09 | H411 |
| Geranyl acetate | 01-2119973480-35 | Aquatic Chronic 2 | GHS09 | H411 |
| 3,7-Dimethyloctan-3-ol | 01-2119454788-21 | Eye Irrit. 2; Skin Irrit. 2 | GHS07 | H315; H319 |
| Isobutyl salicylate | | Acute Tox. 4 | GHS07 | H302 |
| Benzyl acetate | 01-2119638272-42 | Aquatic Chronic 3 | ---- | H412 |
| Naphtha (petroleum), hydrotreated heavy | | Asp. Tox. 1 | GHS08 | H304; EUH066 |
| (Z)-3-hexenyl salicylate | 01-2119987320-37 | Skin Sens. 1; Aquatic Chronic 2 | GHS07; GHS09 | H317; H410 |
| A mixture of: cis-tetrahydro-2-isobutyl-4-methylpyran-4-ol; trans-tetrahydro-2-isobutyl-4-methylpyran-4-ol | 01-0000015458-64 | Eye Irrit. 2 | GHS07 | H319 |

MATERIAL SAFETY DATA SHEET

According to Regulation (EU) No 453/2010

| | | | | |
|---------------------------|------------------|--|--------------|------------------|
| 2-Phenylethanol | 01-2119963921-31 | Acute Tox. 4; Eye Irrit. 2 | GHS07 | H302; H319 |
| Linalyl acetate | 01-2119454789-19 | Skin Irrit. 2; Eye Irrit. 2 | GHS07 | H315; H319 |
| Butane | 01-2119474691-32 | Flam. Gas 1; Press. Gas | GHS02; GHS04 | H220; H280 |
| 2,6-Dimethyloct-7-en-2-ol | 01-2119457274-37 | Skin Irrit. 2; Eye Irrit. 2 | GHS07 | H315; H319 |
| Propyleneglycol | 01-2119456809-23 | ----- | ----- | ----- |
| Propan-2-ol | 01-2119457558-25 | Flam. Liq. 2; Eye Irrit. 2; STOT SE 3 | GHS02; GHS07 | H225; H319; H336 |

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

- Inhalation : Not applicable under normal conditions of use. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation persists.
- Eye contact : Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Consult a doctor.
- Ingestion : Aerosol/mist: Ingestion is unlikely to occur.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : No specific effects and/or symptoms are known.
- Skin contact : May cause redness and irritation, sensitisation. May produce an allergic reaction. May cause dry skin.
- Eye contact : Irritant. May cause redness and pain.
- Ingestion : Aerosol/mist: Ingestion is unlikely to occur.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

- Suitable : Carbondioxide (CO₂). Alcohol resistant foam. Dry chemical. Water fog.
- Not suitable : Water jet.

5.2. Special hazards arising from the substance or mixture

- Special exposure hazards : Aerosol may explode from internal pressure build-up when exposed to temperatures exceeding 50 °C. Do not expose emergency personnel to overheated aerosol containers. Water may be used to cool container and prevent explosion of the aerosol.
- Hazardous thermal decomposition products : Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

Special protective equipment for fire-fighters : Fight a fire where aerosols are involved from a protected position. Use adequate respiratory equipment in case of insufficient ventilation.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

MATERIAL SAFETY DATA SHEET

According to Regulation (EU) No 453/2010

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Do not breathe vapours and/or spray. Keep away from sources of ignition — No smoking. Build up of highly flammable gasses involves an explosion risk. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. Waste product should not be allowed to contaminate soil or water.
Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Collect cans in an approved container. Do not pierce aerosols. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Important: Pressurized container; protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not breathe spray. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool (< 35°), dry and well-ventilated place. Protect from sunlight and keep away from heat.
Recommended packaging : Not applicable.

7.3. Specific end use(s)

Use : Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

| Chemical name | Country | TWA 8 hour (mg/m ³) | STEL 15 min (mg/m ³) | Comments |
|---|---------|---------------------------------|----------------------------------|---------------------------------------|
| Propane | | 1800 | - | |
| Ethanol | GB | 1920 | - | |
| Ethanol | | 260 | 1900 | Mac: NL. |
| Isobutane | | 1900 | 2400 | |
| Benzyl acetate | | 5 | - | |
| Naphtha (petroleum), hydrotreated heavy | EC | 116 | - | Recommendation in CLH-document - 2010 |
| Naphtha (petroleum), hydrotreated heavy | | 1200 | - | CEFIC HSPA |
| Butane | GB | 1450 | 1810 | |
| Butane | | 1450 | 1810 | |
| Propyleneglycol | GB | 474 | - | Total Vapour and Particulates |
| Propyleneglycol | | 474 | - | MAC UK: Total Vapour and Particulates |

MATERIAL SAFETY DATA SHEET

According to Regulation (EU) No 453/2010

| | | | | |
|-------------|----|-----|------|---|
| Propan-2-ol | GB | 999 | 1250 | - |
|-------------|----|-----|------|---|

Derived no-effect level (DNEL) for workers:

| Chemical name | Route of exposure | DNEL, short-term | | DNEL, long-term | |
|--|-------------------|------------------|-----------------------------|------------------|---------------------|
| | | Local effect | Systemic effect | Local effect | Systemic effect |
| Ethanol | Dermal | 1900 mg/m3 | | | 343 mg/kg bw/day |
| | Inhalation | | | | 950 mg/m3 |
| Geraniol | Dermal | | | | 12,5 mg/kg bw/day |
| | Inhalation | | | | 161,6 mg/m3 |
| 3-p-Cumenyl-2-methylpropionaldehyde | Dermal | | | | 1,67 mg/kg bw/day |
| | Inhalation | | | | 5,83 mg/m3 |
| Undecan-4-olide | Dermal | | | | 5,38 mg/kg bw/day |
| | Inhalation | | | | 19 mg/m3 |
| 4-(2,6,6-trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one | Dermal | | | | 2,1913 mg/kg bw/day |
| | Inhalation | | | | 2,498 mg/m3 |
| 3,7-Dimethyloctan-3-ol | Dermal | | | | 2,5 mg/kg bw/day |
| | Inhalation | | | | 2,75 mg/m3 |
| Benzyl acetate | Dermal | | 12,5 mg/kg bw 43,8 mg/m3 | | 6,25 mg/kg bw/day |
| | Inhalation | | | | 21,9 mg/m3 |
| (Z)-3-hexenyl salicylate | Dermal | | | | 0,9 mg/kg bw/day |
| | Inhalation | | | | 1,59 mg/m3 |
| 2-Phenylethanol | Dermal | | | | 21,2 mg/kg bw/day |
| | Inhalation | | | | 59,9 mg/m3 |
| Linalyl acetate | Dermal | 0,8 mg/kg bw | | 0,8 mg/kg bw/day | 2,5 mg/kg bw/day |
| | Inhalation | | | | 2,75 mg/m3 |
| 2,6-Dimethyloct-7-en-2-ol | Dermal | | | | 20,8 mg/kg bw/day |
| | Inhalation | | | | 73,5 mg/m3 |
| Propyleneglycol | Inhalation | | | 10 mg/m3 | 168 mg/m3 |
| Propan-2-ol | Dermal | | | | 888 mg/kg bw/day |
| | Inhalation | | | | 500 mg/m3 |

Derived no-effect level (DNEL) for consumers:

| Chemical name | Route of exposure | DNEL, short-term | | DNEL, long-term | |
|--|-------------------|------------------|---------------------------|-----------------|---------------------|
| | | Local effect | Systemic effect | Local effect | Systemic effect |
| Ethanol | Dermal | 950 mg/m3 | | | 206 mg/kg bw/day |
| | Inhalation | | | | 114 mg/m3 |
| Geraniol | Oral | | | | 87 mg/kg bw/day |
| | Dermal | | | | 7,5 mg/kg bw/day |
| 3-p-Cumenyl-2-methylpropionaldehyde | Inhalation | | | | 47,8 mg/m3 |
| | Oral | | | | 13,75 mg/kg bw/day |
| Undecan-4-olide | Dermal | | | | 0,83 mg/kg bw/day |
| | Inhalation | | | | 1,45 mg/m3 |
| 4-(2,6,6-trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one | Oral | | | | 0,83 mg/kg bw/day |
| | Dermal | | | | 2,7 mg/kg bw/day |
| 3,7-Dimethyloctan-3-ol | Inhalation | | | | 4,68 mg/m3 |
| | Oral | | | | 2,7 mg/kg bw/day |
| Benzyl acetate | Dermal | | 6,25 mg/kg bw 11 mg/m3 | | 0,5403 mg/kg bw/day |
| | Inhalation | | | | 0,6214 mg/m3 |
| | Oral | | | | 4,3825 mg/kg bw/day |
| | Dermal | | | | 1,25 mg/kg bw/day |
| | Inhalation | | | | 0,68 mg/m3 |
| | Oral | | | | 0,2 mg/kg bw/day |
| | Dermal | | | | 3,125 mg/kg bw/day |
| | Inhalation | | | | 5,5 mg/m3 |

MATERIAL SAFETY DATA SHEET

According to Regulation (EU) No 453/2010

| | | | | | |
|---------------------------|-------------|--------------|---------------|----------------------|------------------------|
| (Z)-3-hexenyl salicylate | Oral | | 6,25 mg/kg bw | | 3,125 mg/kg bw/day |
| | Dermal | | | | 0,45 mg/kg bw/day |
| | Inhalation | | | | 0,39 mg/m ³ |
| 2-Phenylethanol | Oral | | | | 0,23 mg/kg bw/day |
| | Dermal | | | | 12,7 mg/kg bw/day |
| | Inhalation | | | | 17,7 mg/m ³ |
| Linalyl acetate | Oral | | 5,1 mg/kg bw | | 5,1 mg/kg bw/day |
| | Dermal | 0,8 mg/kg bw | | 0,8 mg/kg bw/day | 1,25 mg/kg bw/day |
| | Inhalation | | | | 0,68 mg/m ³ |
| 2,6-Dimethyloct-7-en-2-ol | Oral | | | | 0,2 mg/kg bw/day |
| | Dermal | | | | 12,5 mg/kg bw/day |
| | Inhalation | | | | 21,7 mg/m ³ |
| Propyleneglycol | Oral | | | | 12,5 mg/kg bw/day |
| | Inhalation | | | 10 mg/m ³ | 50 mg/m ³ |
| | Propan-2-ol | | | | 319 mg/kg bw/day |
| Propan-2-ol | Dermal | | | | 89 mg/m ³ |
| | Inhalation | | | | 26 mg/kg bw/day |
| | Oral | | | | |

Predicted no-effect concentration (PNEC):

| Chemical name | Route of exposure | Fresh water | Marine water | |
|--|--------------------|--------------|---------------|-----------------|
| Ethanol | Water | 0,96 mg/l | 0,79 mg/l | |
| | Sediment | 3,6 mg/kg | 2,9 mg/kg | |
| | Intermittent water | | | 2,75 mg/l |
| | STP | | | 580 mg/l |
| | Soil | | | 0,63 mg/kg |
| Geraniol | Oral | | | 0,72 mg/kg food |
| | Water | 0,0108 mg/l | 0,0010 mg/l | |
| | Sediment | 0,115 mg/kg | 0,0115 mg/kg | |
| | Intermittent water | | | 0,108 mg/l |
| | STP | | | 0,7 mg/l |
| 3-p-Cumenyl-2-methylpropionaldehyde | Soil | | | 0,0167 mg/kg |
| | Water | 0,00109 mg/l | 0,00011 mg/l | |
| | Sediment | 0,126 mg/kg | 0,0126 mg/kg | |
| | Intermittent water | | | 0,01092 mg/l |
| | STP | | | 1 mg/l |
| Undecan-4-olide | Soil | | | 0,0245 mg/kg |
| | Water | 0,0058 mg/l | 0,00058 mg/l | |
| | Sediment | 0,628 mg/kg | 0,063 mg/kg | |
| | Intermittent water | | | 0,058 mg/l |
| | STP | | | 80 mg/l |
| 4-(2,6,6-trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one | Soil | | | 0,122 mg/kg |
| | Oral | | | 66,7 mg/kg food |
| | Water | 0,00146 mg/l | 0,000146 mg/l | |
| | Sediment | 22,45 mg/kg | 22,45 mg/kg | |
| | Intermittent water | | | 0,0146 mg/l |
| Geranyl acetate | STP | | | 0,0428 mg/l |
| | Soil | | | 10,47 mg/kg |
| | Water | 0,00372 mg/l | 0,000372 mg/l | |
| | Sediment | 0,442 mg/kg | 0,442 mg/kg | |
| | Intermittent water | | | 0,0372 mg/l |
| 3,7-Dimethyloctan-3-ol | STP | | | 8 mg/l |
| | Soil | | | 0,0859 mg/kg |
| | Water | 0,0089 mg/l | 0,00089 mg/l | |
| | Sediment | 0,0821 mg/kg | 0,00821 mg/kg | |
| | Intermittent water | | | 0,089 mg/l |
| | STP | | | 450 mg/l |
| | Soil | | | 0,0112 mg/kg |

MATERIAL SAFETY DATA SHEET

According to Regulation (EU) No 453/2010

| | | | | |
|---------------------------|--------------------|--------------|---------------|-----------------|
| Benzyl acetate | Water | 0,004 mg/l | 0,0004 mg/l | |
| | Sediment | 0,114 mg/kg | 0,0114 mg/kg | |
| | Intermittent water | | | 0,04 mg/l |
| | STP | | | 8,55 mg/l |
| (Z)-3-hexenyl salicylate | Soil | | | 0,0205 mg/kg |
| | Water | 0,00061 mg/l | 0,000061 mg/l | |
| | Sediment | 0,11 mg/kg | 0,011 mg/kg | |
| | Intermittent water | | | 0,0061 mg/l |
| 2-Phenylethanol | STP | | | 10 mg/l |
| | Soil | | | 0,0217 mg/kg |
| | Oral | | | 40 mg/kg food |
| | Water | 0,215 mg/l | 0,0215 mg/l | |
| Linalyl acetate | Sediment | 1,454 mg/kg | 0,1454 mg/kg | |
| | Intermittent water | | | 2,15 mg/l |
| | STP | | | 10 mg/l |
| | Soil | | | 0,164 mg/kg |
| 2,6-Dimethyloct-7-en-2-ol | Water | 0,011 mg/l | 0,0011 mg/l | |
| | Sediment | 0,609 mg/kg | 0,0609 mg/kg | |
| | Intermittent water | | | 0,11 mg/l |
| | STP | | | 10 mg/l |
| Propyleneglycol | Soil | | | 0,115 mg/kg |
| | Water | 0,0278 mg/l | 0,0027 mg/l | |
| | Sediment | 0,594 mg/kg | 0,0594 mg/kg | |
| | Intermittent water | | | 0,278 mg/l |
| Propan-2-ol | STP | | | 10 mg/l |
| | Soil | | | 0,103 mg/kg |
| | Oral | | | 111 mg/kg food |
| | Water | 260 mg/l | 26 mg/l | |
| Propan-2-ol | Sediment | 572 mg/kg | 57,2 mg/kg | |
| | Intermittent water | | | 183 mg/l |
| | STP | | | 20000 mg/l |
| | Soil | | | 50 mg/kg |
| Propan-2-ol | Oral | | | 1133 mg/kg food |
| | Water | 140,9 mg/l | 140,9 mg/l | |
| | Sediment | 552 mg/kg | 552 mg/kg | |
| | Intermittent water | | | 140,9 mg/l |
| Propan-2-ol | STP | | | 2251 mg/l |
| | Soil | | | 28 mg/kg |
| | Oral | | | 160 mg/kg food |

8.2. Exposure controls

Engineering measures : Comply with standard precautionary measures for working with chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



Body protection : Use of specific protective industrial clothing is not required under normal conditions of use.

Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.

MATERIAL SAFETY DATA SHEET

According to Regulation (EU) No 453/2010

- Hand protection : Under normal conditions of use specific gloves are not required. Wear appropriate gloves in case of frequent or prolonged use and in case of large scale exposure. Suitable material: nitril. \pm 0,5 mm Indication of permeation breakthrough time: 4 hours.
- Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166, when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| | | |
|---|------------------------|---|
| Appearance | : Aerosol. | |
| Colour | : Colourless. | |
| Odour | : Perfumed. | |
| Odour threshold | : Not known. | |
| pH | : Not applicable. | Almost waterfree product. |
| Solubility in water | : Soluble. | |
| Partition coefficient (n-octanol/water) | : Not known. | |
| Flash point | : Not applicable. | Not measurable. |
| Flammability (solid, gas) | : Extremely flammable. | |
| Auto ignition temperature | : Not applicable. | Aerosol container explodes before reaching the auto-ignition point. |
| Boiling point/boiling range | : Not known. | Not measurable. |
| Melting point/melting range | : < 0 °C | |
| Explosive properties | : | Pressurised container: May burst if heated. |
| Explosion limits (in air) | : Not known. | Lower explosion limit in air (%): 1,7 (Propane) |
| | : | Upper explosion limit in air (%): 19 Ethanol |
| Oxidising properties | : Not applicable. | Does not contain oxidizing substances. |
| Decomposition temperature | : Not applicable. | |
| Viscosity (20°C) | : Not known. | |
| Viscosity (40°C) | : Not known. | |
| Vapour pressure (20°C) | : 360000 Pa | |
| Vapour density (20°C) | : > 1 | (air = 1) |
| Relative density (20°C) | : 0,635 g/ml | |
| Evaporation rate | : Not known. | (n-butyl acetate = 1) |

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : Keep away from sources of ignition and sources of heat. See section 7.

10.5. Incompatible materials

Materials to avoid : Not applicable.

10.6. Hazardous decomposition products

MATERIAL SAFETY DATA SHEET

According to Regulation (EU) No 453/2010

Hazardous decomposition : Not known.
products

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

No toxicological research has been carried out on this product.

Inhalation

- Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 6 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause damage to organs. Target organ(s): Central nervous system. Effect(s): Breathing of high vapour concentrations may cause central nervous system (CNS) depression resulting in dizziness, lightheadedness, headache, nausea and loss of coordination. Continued inhalation may result in unconsciousness and death.
- Corrosion/irritation : May cause irritation to respiratory airways and coughing. Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Skin contact

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Prolonged contact may dry out and defat the skin. Not classified - based on available data, the classification criteria are not met.
- Sensitisation : May cause sensitisation by skin contact. May produce an allergic reaction.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Eye contact

- Corrosion/irritation : Irritant.

Ingestion

- Acute toxicity : Aerosol/mist: Ingestion is unlikely to occur. Calculated LD50: > 1064 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause hampered eyesight.
- Corrosion/irritation : Aerosol/mist: Ingestion is unlikely to occur. May cause a feeling of sickness, vomiting and diarrhoea. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Aerosol/mist: Ingestion is unlikely to occur. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Aerosol/mist: Ingestion is unlikely to occur. Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Toxicological information:

| Chemical name | Property | | Method | Test animal |
|---------------|------------------------------|-------------------|----------|-------------|
| Ethanol | Skin irritation | Non-irritant | ----- | Rabbit |
| | LD50 (dermal) | 15800 mg/kg bw | ----- | Rabbit |
| | NOAEL (inhalation) | 23000 mg/m3 | | Rat |
| | NOAEL (oral) | 2400 mg/kg bw/d | | Rat |
| | NOAEL (fertility, oral) | 20000 mg/kg bw/d | OECD 415 | Rat |
| | Skin sensitisation | Not sensitizing | OECD 406 | Guinea pig |
| | NOAEL (development, oral) | 6400 mg/kg bw/d | | |
| | LD50 (oral) | 10470 mg/kg bw | OECD 401 | Rat |
| | LC50 (inhalation) | > 99999 mg/m3 | OECD 403 | Rat |
| | Eye irritation | Irritant | OECD 405 | Rabbit |
| | NOEL (carcinogenicity, oral) | > 4400 mg/kg bw/d | | Mouse |

MATERIAL SAFETY DATA SHEET

According to Regulation (EU) No 453/2010

| | | | | |
|---------------------------|---|--|---|---|
| | Genotoxicity - in vivo NOEL (carcinogenicity, inh.) | Not genotoxic 13 mg/m3 | OECD 478 | Mouse |
| (Z)-3-hexenyl salicylate | Genotoxicity - in vitro Mutagenicity | Not genotoxic Negative | OECD 476 OECD 471 | Salmonella typhimurium |
| | Genotoxicity - estimate Skin sensitisation | Not genotoxic Not sensitizing | Read across OECD 406 | Guinea pig Rabbit |
| | LD50 (dermal) Skin irritation | > 5000 mg/kg bw Moderately irritant | ----- ----- | Rabbit Rabbit |
| 2,6-Dimethyloct-7-en-2-ol | NOAEL (oral) LD50 (oral) NOAEL (development) - estimate | 200 mg/kg bw/d 5000 mg/kg bw 1000 mg/kg.d | OECD 422 ----- Read across | Rat Rat Rat |
| | Mutagenicity Genotoxicity - in vitro NOAEL (oral) - estimate | Not mutagenic Not genotoxic 500 mg/kg bw/d | OECD 471 OECD 476 Read across | Rat Rat |
| | LD50 (oral) Skin sensitisation Skin irritation | 3600 mg/kg bw Not sensitizing Slightly irritant | ----- ----- ----- | Rabbit Rabbit |
| Propan-2-ol | Eye irritation LD50 (dermal) NOAEL (oral) LD50 (oral) LD50 (dermal) LC50 (inhalation) | Moderately irritant > 5000 mg/kg bw 870 mg/kg bw/d 4396 mg/kg bw 12800 mg/kg bw 46600 mg/m3 | OECD 405 ----- ----- ----- ----- ----- | Rabbit Rabbit Rabbit Rat Rat Rat |
| | Skin irritation Eye irritation NOAEL (fertility, oral) NOAEL (development, oral) NOEL (carcinogenicity, oral) | Slightly irritant Irritant 407 mg/kg bw/d 400 mg/kg bw/d Not carcinogenic | OECD 404 OECD 405 ----- ----- OECD 416 | Rabbit Rabbit Rat Rat Rat |
| | Skin sensitisation Mutagenicity NOAEL (inhalation) Genotoxicity - in vivo NOEL (carcinogenicity, inh.) | Not sensitizing Negative 12500 mg/m3 Not genotoxic 12500 mg/m3 | OECD 406 OECD 471 OECD 451 OECD 474 ----- | Guinea pig Rat Mouse Mouse |
| | Genotoxicity - in vitro | Not genotoxic | OECD 476 | |

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Harmful to aquatic life with long lasting effects. Calculated LC50 (fish): 107 mg/l. Calculated EC50 (waterflea): 175 mg/l. Contains < 1 % of components with unknown hazards to the aquatic environment.

12.2. Persistence and degradability

Persistence – degradability : May cause long-term adverse effects in the aquatic environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : Not applicable.

MATERIAL SAFETY DATA SHEET

According to Regulation (EU) No 453/2010

12.5. Results of PBT and vPvB ass

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Other adverse effects

Other information : Not applicable.

Ecological information:

| Chemical name | Property | | Method | Test animal |
|--|-------------------------------------|-----------|-------------------------|--------------------------------|
| Undecan-4-olide | EC50 (waterflea) | 17 mg/l | ---- | Daphnia magna |
| | Ultimate aerobic biodegradation (%) | 82 % | Read across | |
| | LC50 (fish) | 569 mg/l | ---- | Oncorhynchus mykiss |
| | IC50 (alga) | 5,94 mg/l | OECD 201 | Pseudokirchnerella subcapitata |
| 4-(2,6,6-trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one | Log P(ow) | 3,6 | | |
| | LC50 (fish) | 5,09 mg/l | ---- | Pimephales promelas |
| | EC50 (waterflea) | 1,64 mg/l | ---- | Daphnia magna |
| Geranyl acetate | | 3,22 mg/l | ---- | Selenastrum capricornutum |
| | Log P(ow) | 4,1 | | |
| | EC50 (waterflea) | 14,1 mg/l | | Daphnia magna |
| | LC50 (fish) - estimate | 68 mg/l | | Leuciscus idus |
| 3,7-Dimethyloctan-3-ol | IC50 (alga) | 3,72 mg/l | OECD 201 | Desmodesmus subspicatus |
| | Log P(ow) | 4,3 | | |
| | BCF | 235 | | |
| | IC50 (alga) | 21,6 mg/l | DIN 38412 Part 33 | Scenedesmus subspicatus |
| (Z)-3-hexenyl salicylate | LC50 (fish) | 8,9 mg/l | OECD 203 | Brachydanio rerio |
| | NOEC (fish) | 5 mg/l | OECD 203 | Brachydanio rerio |
| | NOEC (waterflea) - acute | 8,2 mg/l | OECD 202 | Daphnia magna |
| | EC50 (waterflea) | 14,2 mg/l | OECD 202 | Daphnia magna |
| | Ultimate aerobic biodegradation (%) | 61 % | OECD 301 F | |
| | Log P(ow) | 3,3 | | |
| | BCF | 152 | | |
| | LC50 (fish) - estimate | 1,13 mg/l | | Brachydanio rerio |
| | EC50 (waterflea) | 3,7 mg/l | OECD 202 | Daphnia magna |
| | Ultimate aerobic biodegradation (%) | 89 % | OECD 301 F | |
| IC50 (alga) | 0,61 mg/l | OECD 201 | Desmodesmus subspicatus | |
| | Log P(ow) | 4,57 | | |

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

- Product residues : Recyclable metal container. Do not puncture or burn even after use. Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.
- Additional warning : Residues may cause an explosion hazard. Do not puncture, cut or weld uncleaned drums.
- European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
- Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

MATERIAL SAFETY DATA SHEET

According to Regulation (EU) No 453/2010

SECTION 14 TRANSPORT INFORMATION

14.1. UN number

UN nr. : UN 1950

14.2. UN proper shipping name

Transport name : AEROSOLS

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID (road / railway)

Class : 2
Classification code : 5F
Packaging group : -
Danger label : 2,1



IMDG (sea)

Class : 2
Packaging group : -
EmS (fire / spill) : F - D / S - U
Marine pollutant : No

IATA (air)

Class : 2

14.6. Special precautions for user

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EC) No 453/2010 (REACH), Regulation (EC) No 1272/2008 (CLP), 75/324/EEC (aerosols) and other regulations.

In the UK it is recommended that all aerosols should be labelled on the back with the warning about the dangers of volatile solvent abuse. The label should contain the badge 'Solvent Abuse Can Kill Instantly' accompanied by the phrase 'Use only as directed'.

15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

SECTION 16 OTHER INFORMATION

MATERIAL SAFETY DATA SHEET

According to Regulation (EU) No 453/2010

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EC) No 453/2010 dated 20 May 2010 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

Full text of R-phrases mentioned in section 3:

| | |
|--------|--|
| R10 | Flammable. |
| R11 | Highly flammable. |
| R12 | Extremely flammable. |
| R22 | Harmful if swallowed. |
| R36 | Irritating to eyes. |
| R38 | Irritating to skin. |
| R41 | Risk of serious damage to eyes. |
| R43 | May cause sensitisation by skin contact. |
| R50/53 | Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| R51/53 | Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| R65 | Harmful: may cause lung damage if swallowed. |
| R66 | Repeated exposure may cause skin dryness or cracking. |
| R67 | Vapours may cause drowsiness and dizziness. |

Full text of H-phrases mentioned in section 3:

| | |
|--------|---|
| H220 | Extremely flammable gas. |
| H225 | Highly flammable liquid and vapour. |
| H226 | Flammable liquid and vapour. |
| H280 | Contains gas under pressure; may explode if heated. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| EUH066 | Repeated exposure may cause skin dryness or cracking. |

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

| | |
|-----------|---|
| ADR | : European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | : Acute Toxicity Estimate |
| CLP | : Classification, Labeling & Packaging |
| CMR | : Carcinogenic, Mutagenic or toxic for Reproduction |
| EEC | : European Economic Community |
| IATA | : International Air Transport Association |
| IBC code | : International Bulk Chemical Code |
| IMDG | : International Maritime Dangerous Goods Code |
| LD50/LC50 | : Lethal Dose/Concentration for 50% of a population |
| MAC | : Maximum Allowable Concentration |
| MARPOL | : International Convention for the Prevention of Pollution From Ships |
| NO(A)EL | : No Observed (Adverse) Effect Level |
| OECD | : Organisation for Economic Co-operation and Development |
| PBT | : Persistent, Bioaccumulative and Toxic |
| PC | : Chemical product category |
| PT | : Product type |

MATERIAL SAFETY DATA SHEET

According to Regulation (EU) No 453/2010

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
RID : Regulations concerning the International Carriage of Dangerous Goods by Rail
STP : Sewage Treatment Plant
SU : Sector of Use
TWA/STEL : Time-Weighted Average/Short Term Exposure Limit
UN : United Nations
VOC : Volatile Organic Compounds
vPvB : Very Persistent and Very Bioaccumulative
Number format : "," used as decimal separator.

History

Date of first issue : 11-11-2014