



SAFETY DATA SHEET

LIFT

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name LIFT
Product number A054 EV
Internal identification Janitorial - Catering Section

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Heavy Duty, Alkaline Liquid Hard Surface Cleaner.

1.3. Details of the supplier of the safety data sheet

Supplier Evans Vanodine International
Brierley Road
Walton Summit
Preston. PR5 8AH

Tel: 01772 322 200
Fax: 01772 626 000
qclab@evansvanodine.co.uk

1.4. Emergency telephone number

Emergency telephone New Safety Data Sheets - 8.30am to 4.45pm - 01772 322 200 - Mon to Fri. (Also available 24/7 from our website www.evansvanodine.co.uk) Technical Advice - 8.30am to 4.45pm - 01772 318 818 - Mon to Fri

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards

Not Classified

Health hazards

Skin Corr. 1B - H314 Eye Dam. 1 - H318

Environmental hazards

Not Classified

Classification (67/548/EEC or 1999/45/EC)

Xi;R36/38.

2.2. Label elements

Pictogram



Signal word Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

LIFT

Precautionary statements

- P102 Keep out of reach of children.
- P260 Do not breathe spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P315 Get immediate medical advice/attention.
- P501 Dispose of contents/container in accordance with local regulations.

Contains

SODIUM METASILICATE, SODIUM HYDROXIDE

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

SODIUM DODECYL BENZENE SULPHONATE		3-5%
CAS number: 68411-30-3 EC number: 270-115-0		
Classification	Classification (67/548/EEC or 1999/45/EC)	
Acute Tox. 4 - H302	Xn;R22. Xi;R36/38.	
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
SODIUM METASILICATE		3-5%
CAS number: — EC number: —		
Classification	Classification (67/548/EEC or 1999/45/EC)	
Skin Corr. 1B - H314	C;R34. Xi;R36/38.	
Eye Dam. 1 - H318		
2-BUTOXYETHANOL		3-5%
CAS number: 111-76-2 EC number: 203-905-0		
Classification	Classification (67/548/EEC or 1999/45/EC)	
Acute Tox. 4 - H302	Xn;R20/21/22 Xi;R36/38	
Acute Tox. 4 - H312		
Acute Tox. 4 - H332		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
SODIUM CUMENE SULPHONATE		3-5%
CAS number: 32073-22-6 EC number: 250-913-5		
Classification	Classification (67/548/EEC or 1999/45/EC)	
Eye Irrit. 2 - H319	Xi;R36.	

LIFT

SODIUM HYDROXIDE		0.1-1%
CAS number: 1310-73-2 EC number: 215-185-5 REACH registration number: 01-2119457892-27-xxxx		
Classification	Classification (67/548/EEC or 1999/45/EC)	
Met. Corr. 1 - H290	C;R35	
Skin Corr. 1A - H314		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****Inhalation**

Unlikely route of exposure as the product does not contain volatile substances. If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.

Ingestion

Do not induce vomiting. Give plenty of water to drink. Get medical attention immediately.

Skin contact

Wash with plenty of water. Get medical attention promptly if symptoms occur after washing.

Eye contact

Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Get medical attention immediately. Continue to rinse.

4.2. Most important symptoms and effects, both acute and delayed**General information**

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

Inhalation

Irritation of nose, throat and airway.

Ingestion

May cause chemical burns in mouth and throat.

Skin contact

Burning pain and severe corrosive skin damage. May cause serious chemical burns to the skin.

Eye contact

Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue damage.

4.3. Indication of any immediate medical attention and special treatment needed**Notes for the doctor**

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture**Specific hazards**

Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours.

5.3. Advice for firefighters**Special protective equipment for firefighters**

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

LIFT

Personal precautions

Wear protective clothing, gloves, eye and face protection. For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions

Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.

6.4. Reference to other sections

Reference to other sections

For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

Wear protective clothing, gloves, eye and face protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Keep only in the original container in a cool, well-ventilated place. Store away from the following materials: Oxidising materials.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

Usage description

See Product Information Sheet & Label for detailed use of this product.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

2-BUTOXYETHANOL

Long-term exposure limit (8-hour TWA): WEL 25 ppm 123 mg/m³

Short-term exposure limit (15-minute): WEL 50 ppm 246 mg/m³

Sk

SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit

Sk = Can be absorbed through skin.

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Not relevant.

Eye/face protection

The following protection should be worn: Chemical splash goggles or face shield.

LIFT

Hand protection

Wear protective gloves. (Household rubber gloves.)

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

Respiratory protection

Respiratory protection not required.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance

Liquid.

Colour

Clear. Pale Straw.

Odour

Faint Solvent.

pH

pH (concentrated solution): 13.45

Melting point

-2°C

Initial boiling point and range

102°C @ 760 , mm Hg

Flash point

Boils without flashing.

Relative density

1.084 @ 20°C

Solubility(ies)

Soluble in water.

9.2. Other information

Other information

None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactions with the following materials may generate heat: Strong acids.

10.2. Chemical stability

Stability

No particular stability concerns.

10.3. Possibility of hazardous reactions

See sections 10.1,10.4 & 10.5

10.4. Conditions to avoid

There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid

Strong acids. Aluminium, Tin, Zinc and their alloys.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

LIFT

11.1. Information on toxicological effects

Toxicological effects

We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.

Acute toxicity - oral

Notes (oral LD50)

Based on available data the classification criteria are not met.

ATE oral (mg/kg)

14,391.36968639

Acute toxicity - dermal

Notes (dermal LD50)

Based on available data the classification criteria are not met.

ATE dermal (mg/kg)

27312.71517356

Acute toxicity - inhalation

Notes (inhalation LC50)

Based on available data the classification criteria are not met.

ATE inhalation (vapours mg/l)

275.58284041

SECTION 12: Ecological Information

Ecotoxicity

Not regarded as dangerous for the environment.

12.1. Toxicity

We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.

12.2. Persistence and degradability

Persistence and degradability

Sequestrant is readily degraded during biological effluent treatment processes.

12.3. Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility

Not known.

12.5. Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Not known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods

Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal by approved waste contractor. Rinse out empty container with water and consign to normal waste.

LIFT

SECTION 14: Transport information**14.1. UN number**

UN No. (ADR/RID)	3266
UN No. (IMDG)	3266
UN No. (ICAO)	3266

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (disodium trioxosilicate)
Proper shipping name (IMDG)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (disodium trioxosilicate)
Proper shipping name (ICAO)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (disodium trioxosilicate)
Proper shipping name (ADN)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (disodium trioxosilicate)

14.3. Transport hazard class(es)

ADR/RID class	Class 8: Corrosive substance.
ADR/RID label	8
IMDG class	Class 8: Corrosive substances.
ICAO class/division	Class 8: Corrosive substances.
ICAO subsidiary risk	
Transport labels	

**14.4. Packing group**

ADR/RID packing group	II
IMDG packing group	II
ICAO packing group	II

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

EmS F-A, S-B

Emergency Action Code

Hazard Identification Number (ADR/RID)

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not relevant. for a packaged product.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU legislation**

Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No 453/2010 (which amends Regulation (EC) No 1907/2006). The product is as classified under GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures. Ingredients are listed with classification under both CHIP - Directive 67/548/EEC - classification, packaging & labelling of dangerous substances & GHS/CLP- Regulation (EC) No 1272/2008 classification,

LIFT

labelling & packaging of substances & mixtures.

Guidance

Workplace Exposure Limits EH40.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

SECTION 16: Other information

Key literature references and sources for data

Material Safety Data Sheet, Misc. manufacturers. CLP Class - Table 3.1 List of harmonised classification and labeling of hazardous substances. CHIP Class - Table 3.2 The list of harmonised classification and labelling of hazardous substances from Annex I to Directive 67/548/EEC. ECHA - C&L Inventory database.

Revision comments

Correction of errors in listed P-Statements in Section 2.2 .

Revision date 12/05/2015

Revision Issue 8

SDS status The Risk Phrases / Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Risk Phrases / Hazard Statements relating to this Product see Section 2.

Risk phrases in full

- R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.
- R22 Harmful if swallowed.
- R34 Causes burns.
- R35 Causes severe burns.
- R36 Irritating to eyes.
- R36/38 Irritating to eyes and skin.
- R41 Risk of serious damage to eyes.

Hazard statements in full

- H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.