



## SAFETY DATA SHEET 5L SUPER THICKENED BLEACH

According to Regulation (EU) No 453/2010

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name 5L SUPER THICKENED BLEACH  
Product No. 800-116-0027  
Container size 4 x 5 litres

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Disinfecting and cleaning.

#### 1.3. Details of the supplier of the safety data sheet

Supplier COVENTRY CHEMICALS LTD  
WOODHAMS RD  
SISKIN DRIVE  
COVENTRY  
CV3 4FX  
Tel: +44 (0) 02476639739  
Fax: +44 (0) 02476639717  
Email: sales@coventrychemicals.com  
For content of safety data sheet: sds@coventrychemicals.com

Contact Person

#### 1.4. Emergency telephone number

+44 (0) 1865407333

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Classification (1999/45/EEC) Xi;R36. R31.

#### 2.2. Label elements

Labelling



Irritant

Risk Phrases

R31 Contact with acids liberates toxic gas.  
R36 Irritating to eyes.

Safety Phrases

S2 Keep out of the reach of children.  
S24/25 Avoid contact with skin and eyes.  
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
S28 After contact with skin, wash immediately with plenty of water.

#### 2.3. Other hazards

This product does not contain any PBT or vPvB substances.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

## 5L SUPER THICKENED BLEACH

SODIUM HYPOCHLORITE SOLUTION, ... % Cl ACTIVE		2.5-5%
CAS-No.: 7681-52-9	EC No.: 231-668-3	Registration Number: 01-2119488154-34-XXXX
Classification (EC 1272/2008) EUH031 Skin Corr. 1B - H314 Aquatic Acute 1 - H400	Classification (67/548/EEC) C;R34 R31 N;R50	
SODIUM ALKYL C10-16 ETHER SULPHATE		1-2.5%
CAS-No.: 68585-34-2	EC No.:	
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Dam. 1 - H318	Classification (67/548/EEC) Xi;R38,R41.	
SODIUM HYDROXIDE		<0.5%
CAS-No.: 1310-73-2	EC No.: 215-185-5	Registration Number: 01-2119457892-27-XXXX
Classification (EC 1272/2008) Skin Corr. 1A - H314	Classification (67/548/EEC) C;R35	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: FIRST AID MEASURES

#### **4.1. Description of first aid measures**

##### Inhalation

Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

##### Ingestion

Do not induce vomiting. Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable seek hospital and bring these instructions.

##### Skin contact

Rinse immediately with plenty of water. Remove contaminated clothing. Contact physician if irritation continues.

##### Eye contact

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.

#### **4.2. Most important symptoms and effects, both acute and delayed**

##### Inhalation.

Vapour containing chlorine may irritate the nose, throat and lungs.

##### Ingestion

May irritate the mouth, throat and stomach. May cause stomach pain or vomiting.

##### Skin contact

Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping.

##### Eye contact

Irritating and may cause redness and pain.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

No specific first aid measures noted.

### SECTION 5: FIREFIGHTING MEASURES

#### **5.1. Extinguishing media**

##### Extinguishing media

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials. Foam, carbon dioxide or dry powder.

#### **5.2. Special hazards arising from the substance or mixture**

# 5L SUPER THICKENED BLEACH

Hazardous combustion products

Fire or high temperatures create: Chlorine. Oxides of: Chlorine. Hydrogen chloride (HCl).

## 5.3. Advice for firefighters

Special Fire Fighting Procedures

Keep run-off water out of sewers and water sources. Dike for water control.

Protective equipment for fire-fighters

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

For personal protection, see section 8.

### 6.2. Environmental precautions

Collect and dispose of spillage as indicated in section 13. Do not discharge into drains, water courses or onto the ground.

### 6.3. Methods and material for containment and cleaning up

Stop leak if possible without risk. Flush away small spillages with plenty of water. Large quantities should not be discharged into the drain but removed with absorbing material. Absorb in vermiculite, dry sand or earth and place into containers. Do not use paper or sawdust.

Ventilate well. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

### 6.4. Reference to other sections

For personal protection, see section 8. See section 11 for additional information on health hazards. For waste disposal, see section 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Provide good ventilation. Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Do not eat, drink or smoke when using the product. Observe occupational exposure limits and minimise the risk of inhalation of vapours and mist. Avoid contact with acids and other cleaning agents.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place. Protect from light, including direct sunrays. Store away from: Acids.

### 7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Name	STD	TWA - 8 Hrs	STEL - 15 Min	Notes
SODIUM HYDROXIDE	WEL		2 mg/m <sup>3</sup>	

WEL = Workplace Exposure Limit.

Ingredient Comments

In case of chlorine emission, the WEL for Chlorine should be observed: Short Term Exposure Limit (STEL) 0.5 ppm / 1.5 mg/m<sup>3</sup>

### 8.2. Exposure controls

Protective equipment



Engineering measures

Provide adequate ventilation.

Respiratory equipment

Respiratory protection not required.

Hand protection

For prolonged or repeated skin contact use suitable protective gloves. PVC or rubber gloves are recommended. EN 374

Eye protection

Wear approved, tight fitting safety glasses where splashing is probable. EN 166

# 5L SUPER THICKENED BLEACH

## Other Protection

Use barrier creams to prevent skin contact. Wear appropriate clothing to prevent repeated or prolonged skin contact.

## Hygiene measures

When using do not eat, drink or smoke. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Use appropriate skin cream to prevent drying of skin.

## Environmental Exposure Controls

Avoid release to the environment. Users should be aware of environmental considerations and their duties under the environmental protection act. Further information may be found on Government websites: [www.dti.gov.uk/access/index/htm](http://www.dti.gov.uk/access/index/htm) and [www.envirowise.gov.uk](http://www.envirowise.gov.uk).

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance	Viscous liquid.
Colour	Straw.
Solubility	Soluble in water.
Initial boiling point and boiling range	
Not applicable.	
Melting point (°C)	
Not applicable.	
Relative density	1.070 @ 20°C
Bulk Density	
Not applicable.	
Vapour density (air=1)	
Not determined.	
Vapour pressure	
Not determined.	
Evaporation rate	
Not determined.	
Evaporation Factor	
Not applicable.	
pH-Value, Conc. Solution	13.0
Viscosity	
Not determined.	
Solubility Value (G/100G H <sub>2</sub> O@20°C)	
Not applicable.	
Decomposition temperature (°C)	
Not applicable.	
Odour Threshold, Lower	
Not applicable.	
Odour Threshold, Upper	
Not applicable.	
Flash point	
Not applicable.	
Auto Ignition Temperature (°C)	
Not applicable.	
Explosive properties	
Not applicable	
Oxidising properties	
Not applicable.	
Comments	Information given concerns the concentrated solution.

### 9.2. Other information

Not relevant

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Reactive substance that can react with many inorganic and organic compounds

### 10.2. Chemical stability

Decomposes over time. Factors that increase the rate of decomposition: increase in temperature, certain metallic impurities, high initial concentration, fall in pH below 11 and exposure to light.

# 5L SUPER THICKENED BLEACH

## **10.3. Possibility of hazardous reactions**

Contact with acids liberates toxic chlorine gas.

## **10.4. Conditions to avoid**

Avoid exposure to high temperatures or direct sunlight.

## **10.5. Incompatible materials**

Materials To Avoid

Acids. Ammonium compounds. Organic materials. Metals, particularly copper, nickel and iron.

## **10.6. Hazardous decomposition products**

Chlorine. Hydrogen chloride (HCl). Chlorine oxides.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

### **11.1. Information on toxicological effects**

Toxicological information

Data from sodium hypochlorite solution 15% shows low acute oral toxicity. LC50(rat, oral) 1100 mg/kg (as available chlorine). Low acute inhalation toxicity. LC50(rat 1hr) >10500mg/m<sup>3</sup> as available chlorine). Very low acute dermal toxicity. LC50(rat, dermal) .2000 mg/kg.

Other Health Effects

This substance has no evidence of carcinogenic properties.

Respiratory or skin sensitisation:

Not Sensitising.

General information

This product has low toxicity. Only large volumes may have adverse impact on human health.

Ingestion

May irritate and cause stomach pain, vomiting and diarrhoea.

Skin contact

Skin irritation is not anticipated when used normally. Repeated exposure may cause skin dryness or cracking.

Eye contact

May cause temporary eye irritation.

## **SECTION 12: ECOLOGICAL INFORMATION**

Ecotoxicity

Not regarded as dangerous for the environment. The product is classified using the test data for the AISE model bleach product. Ref: International Association for Soaps, Detergents and Maintenance Products publication "Environmental classification of sodium hypochlorite containing bleach products". The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms.

### **12.1. Toxicity**

Acute Fish Toxicity

Not considered toxic to fish.

EC 50, 48 Hrs, Daphnia, mg/l > 1 mg/l

Reference: AISE report "Environmental classification of sodium hypochlorite containing bleach products.", 9 September 2009.

### **12.2. Persistence and degradability**

Degradability

This product contains inorganic compounds which are not biodegradable. Reacts with organic substances in soil and sediments and degrades rapidly to chloride salts. Substantially removed in biological treatment processes. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

### **12.3. Bioaccumulative potential**

Bioaccumulative potential

No data available on bioaccumulation. Low potential for bioaccumulation.

### **12.4. Mobility in soil**

# 5L SUPER THICKENED BLEACH

Mobility:

The product is water soluble and may spread in water systems.

## **12.5. Results of PBT and vPvB assessment**

This product does not contain any PBT or vPvB substances.

## **12.6. Other adverse effects**

There is evidence that sodium hypochlorite inhibits the aerobic treatment process at a concentration of 0.05mg/l.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

General information

Do not discharge into drains, water courses or onto the ground.

### **13.1. Waste treatment methods**

Dispose of waste and residues in accordance with local authority requirements. Packaging is recyclable. Wash out containers with water before disposal.

## **SECTION 14: TRANSPORT INFORMATION**

Road Transport Notes                      Not Classified

Rail Transport Notes                      Not classified.

Sea Transport Notes                      Not classified.

Air Transport Notes                      Not classified.

### **14.1. UN number**

Not applicable.

### **14.2. UN proper shipping name**

Not applicable.

### **14.3. Transport hazard class(es)**

Not applicable.

### **14.4. Packing group**

Not applicable.

### **14.5. Environmental hazards**

### **14.6. Special precautions for user**

Not applicable.

### **14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

## **SECTION 15: REGULATORY INFORMATION**

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

Approved Code Of Practice

Classification and Labelling of Substances and Preparations Dangerous for Supply. Safety Data Sheets for Substances and Preparations.

Guidance Notes

Workplace Exposure Limits EH40. CHIP for everyone HSG(108).

EU Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

National Regulations

Control of Substances Hazardous to Health Regulations 2002 (as amended)

### **15.2. Chemical Safety Assessment**

## 5L SUPER THICKENED BLEACH

A Chemical Safety Assessment (CSA) has been completed for Sodium hypochlorite. and Sodium hydroxide. Currently we do not have information from our suppliers about this.

### SECTION 16: OTHER INFORMATION

#### Revision Comments

NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision Date 14/02/2013

Revision 2

Supersedes date 30/11/2011

#### Risk Phrases In Full

R34 Causes burns.  
R35 Causes severe burns.  
R31 Contact with acids liberates toxic gas.  
R36 Irritating to eyes.  
R38 Irritating to skin.  
R41 Risk of serious damage to eyes.  
R50 Very toxic to aquatic organisms.

#### Hazard Statements In Full

H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
EUH031 Contact with acids liberates toxic gas.  
H400 Very toxic to aquatic life.

#### Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.