



SAFETY DATA SHEET

CONTRACT CARPET EXTRACTION CLEANER

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name CONTRACT CARPET EXTRACTION CLEANER

Product No. S774

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Contract Carpet Extraction Cleaner is a powerful and safe low foam detergent concentrate for use in carpet soil extraction machines. Contract Carpet Extraction Cleaner is suitable for use on most carpets, subject to pretesting as directed.

1.3. Details of the supplier of the safety data sheet

Supplier Prochem Europe Ltd
Oakcroft Road
Chessington
Surrey
KT9 1RH
Telephone: 020 8974 1515
Fax: 020 8974 1511
www.prochem.co.uk
sales@prochem.co.uk

1.4. Emergency telephone number

020 8974 1515 (office hours 8am to 5pm Monday to Friday) **Emergency Action:** In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department, who may seek advice from the UK National Poisons Information Service, where our full product details are held.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (1999/45/EEC) Not classified.

Human health

Contact with concentrate may cause moderate eye irritation. Prolonged or repeated exposure may cause: skin irritation and dermatitis. Limited inhalation hazard at normal work temperatures. Product is alkaline and may be mildly corrosive to mucous membranes. Ingestion may cause: nausea irritation

Environment

The product is expected to be biodegradable.

2.2. Label elements

Risk Phrases

NC Not classified.

Safety Phrases

P13 Safety data sheet available for professional user on request.
S2 Keep out of the reach of children.
S24/25 Avoid contact with skin and eyes.
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S37 Wear suitable gloves.

2.3. Other hazards

See section 8 for details of exposure limits.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

CONTRACT CARPET EXTRACTION CLEANER

SODIUM CARBONATE	1-5%
CAS-No.: 497-19-8	EC No.: 207-838-8
Classification (EC 1272/2008) Eye Irrit. 2 - H319	Classification (67/548/EEC) Xi;R36
TETRAPOTASSIUM PYROPHOSPHATE	1-5%
CAS-No.: 7320-34-5	EC No.: 230-785-7
Classification (EC 1272/2008) Eye Irrit. 2 - H319	Classification (67/548/EEC) Xi;R36.
SODIUM XYLENESULPHONATE	1-5%
CAS-No.: 1300-72-7	EC No.: 215-090-9
Classification (EC 1272/2008) Eye Irrit. 2 - H319	Classification (67/548/EEC) Xi;R36.
(2-METHOXYMETHYLETHOXY)PROPANOL	1-5%
CAS-No.: 34590-94-8	EC No.: 252-104-2
Classification (EC 1272/2008) Not classified.	Classification (67/548/EEC) Not classified.
ALCOHOLS C9-11, ETHOXYLATED	1-5%
CAS-No.: 68439-45-2	EC No.:
Classification (EC 1272/2008) Acute Tox. 4 - H302 Eye Dam. 1 - H318	Classification (67/548/EEC) Xn;R22. Xi;R41.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

Move into fresh air and keep at rest. Get medical attention if any discomfort continues.

Ingestion

Do not induce vomiting. Immediately rinse mouth and drink plenty of water (200-300 ml). Do not give victim anything to drink if they are unconscious. Get medical attention.

Skin contact

Flush skin thoroughly with water. Get medical attention if irritation persists after washing.

Eye contact

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact

Prolonged or repeated exposure may cause: skin irritation and dermatitis.

CONTRACT CARPET EXTRACTION CLEANER

Eye contact

May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat Symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials. Water spray, dry powder or carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

Unusual Fire & Explosion Hazards

No unusual fire or explosion hazards noted.

5.3. Advice for firefighters

Protective equipment for fire-fighters

No specific recommendations.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Do not discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Collect with absorbent, non-combustible material into suitable containers. Dispose of waste and residues in accordance with local authority requirements.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear protective clothing as described in Section 8 of this safety data sheet. Wash hands after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using the product.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Store in closed original container at temperatures between 5°C and 30°C.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
(2-METHOXYMETHYLETHOXY)PROPANOL	WEL	50 ppm	308 mg/m3			Sk

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through skin.

8.2. Exposure controls

Protective equipment



CONTRACT CARPET EXTRACTION CLEANER

Engineering measures

Provide adequate ventilation.

Respiratory equipment

Not required in normal use.

Hand protection

Nitrile gloves are recommended. Protective gloves should be inspected for wear before use and replaced regularly in accordance with the manufacturers specifications.

Eye protection

Side shield safety glasses are recommended when handling this product.

Hygiene measures

Wash hands after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using the product.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Turquoise Green.
Odour	Lavender
Solubility	Soluble in water.
Initial boiling point and boiling range	100°C
Relative density	1.05
Vapour density (air=1)	
Not determined.	
Vapour pressure	
Not determined.	
Evaporation rate	
Not determined.	
pH-Value, Conc. Solution	11.5
pH-Value, Diluted Solution	8.5
Viscosity	
Not determined.	
Flash point	
Not applicable.	
Flammability Limit - Lower(%)	
Not applicable.	
Partition Coefficient (N-Octanol/Water)	
Not determined.	
Explosive properties	
Not applicable.	
Oxidising properties	
Not applicable.	

9.2. Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Not determined.

10.4. Conditions to avoid

Store in closed original container at temperatures between 5°C and 30°C. Protect from freezing and direct sunlight.

10.5. Incompatible materials

Materials To Avoid

Strong acids.

CONTRACT CARPET EXTRACTION CLEANER

10.6. Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity:

Limited inhalation hazard at normal work temperatures. Product is alkaline and may be mildly corrosive to mucous membranes. Ingestion may cause: nausea irritation

Skin Corrosion/Irritation:

Prolonged or repeated exposure may cause: skin irritation and dermatitis.

Serious eye damage/irritation:

May cause temporary eye irritation.

Respiratory or skin sensitisation:

Contains Linalool

Germ cell mutagenicity:

No effects expected based upon current data.

Carcinogenicity:

No effects expected based upon current data.

Reproductive Toxicity:

No effects expected based upon current data.

Toxicological information on ingredients.

SODIUM CARBONATE (CAS: 497-19-8)

Acute toxicity:

Acute Toxicity (Oral LD50)

2800 mg/kg Rat

Acute Toxicity (Dermal LD50)

2000 mg/kg Rabbit

Acute Toxicity (Inhalation LC50)

2.3 mg/l (dust/mist) Rat 4 hours

TETRAPOTASSIUM PYROPHOSPHATE (CAS: 7320-34-5)

Acute toxicity:

Acute Toxicity (Oral LD50)

> 2000 mg/kg Mouse

Acute Toxicity (Dermal LD50)

> 4000 mg/kg Rabbit

SODIUM XYLENESULPHONATE (CAS: 1300-72-7)

Acute toxicity:

Acute Toxicity (Oral LD50)

> 2000 mg/kg Rat

(2-METHOXYMETHYLETHOXY)PROPANOL (CAS: 34590-94-8)

Acute toxicity:

Acute Toxicity (Oral LD50)

5135 mg/kg Rat

Acute Toxicity (Dermal LD50)

> 20 mg/kg Rabbit

CONTRACT CARPET EXTRACTION CLEANER

ALCOHOLS C9-11, ETHOXYLATED (CAS: 68439-45-2)

Acute toxicity:

Acute Toxicity (Oral LD50)

> 300 mg/kg

Acute Toxicity (Dermal LD50)

> 2000 mg/kg

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The product is not expected to be hazardous to the environment.

Ecological information on ingredients.

(2-METHOXYMETHYLETHOXY)PROPANOL (CAS: 34590-94-8)

LC 50, 96 Hrs, Fish mg/l

>10000

EC 50, 48 Hrs, Daphnia, mg/l

1919

IC 50, 72 Hrs, Algae, mg/l

>969

ALCOHOLS C9-11, ETHOXYLATED (CAS: 68439-45-2)

Acute Toxicity - Fish

LC50 > 10 mg/l

Acute Toxicity - Aquatic Invertebrates

EC50 > 1 mg/l

Acute Toxicity - Aquatic Plants

IC50 > 10 mg/l

12.2. Persistence and degradability

Degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Ecological information on ingredients.

(2-METHOXYMETHYLETHOXY)PROPANOL (CAS: 34590-94-8)

Chemical Oxygen Demand

2.02

12.3. Bioaccumulative potential

Bioaccumulative potential

Not known.

Partition coefficient

Not determined.

12.4. Mobility in soil

Mobility:

The product is soluble in water.

12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

CONTRACT CARPET EXTRACTION CLEANER

Dispose of waste and residues in accordance with local authority requirements. Empty containers should be rinsed with water then crushed and disposed of at legal waste disposal site.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

Not classified for transportation.

14.2. UN proper shipping name

None.

14.3. Transport hazard class(es)

ADR/RID/ADN Class -

IMDG Class -

14.4. Packing group

None.

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant

No.

14.6. Special precautions for user

None.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Uk Regulatory References

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments. Chemicals (Hazard Information & Packaging) Regulations.

EU Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

General information

Telephone 020 8974 1515

Revision Date 21/11/2012

Revision 1

Signature Aaron Saunders

Risk Phrases In Full

R22 Harmful if swallowed.

R36 Irritating to eyes.

NC Not classified.

R41 Risk of serious damage to eyes.

Hazard Statements In Full

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H302 Harmful if swallowed.

CONTRACT CARPET EXTRACTION CLEANER

Disclaimer

For additional information on safety, training and use of this product, contact the supplier. This product is intended for professional use only. The information given is intended to be of assistance to users but is without guarantee. Variations can occur in application and users are advised to conduct their own tests. Suggestions for use neither give nor imply any guarantee as to the intended use.