



## SAFETY DATA SHEET STAIN PRO

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name STAIN PRO  
Product No. B144

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** A water based solvent and alkaline spotter for neutralising acidic or oily stains such as most food, blood, vomit, water based inks, fresh tea and coffee, milk, cream and wine on carpet and fabric.

#### 1.3. Details of the supplier of the safety data sheet

**Supplier** Prochem Europe Ltd  
Oakcroft Road  
Chessington  
Surrey  
KT9 1RH  
Telephone: 020 8974 1515  
Fax: 020 8974 1511  
www.prochem.co.uk  
sales@prochem.co.uk

#### 1.4. Emergency telephone number

020 8974 1515 (office hours 8am to 5pm Monday to Friday) Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department, who may seek advice from the UK National Poisons Information Service, where our full product details are held.

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

##### Classification (EC 1272/2008)

|                               |                 |
|-------------------------------|-----------------|
| Physical and Chemical Hazards | Not classified. |
| Human health                  | Not classified. |
| Environment                   | Not classified. |

**Classification (1999/45/EEC)** Not classified.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

##### Human health

Splashes in the eyes may cause redness and irritation. Prolonged or repeated exposure may cause: skin irritation and dermatitis. Limited inhalation hazard at normal work temperatures. Excessive inhalation of spray, mist or vapour may cause temporary respiratory irritation. Product is alkaline and may be mildly corrosive to mucous membranes. Ingestion may cause: nausea Systemic Effects

##### Environment

The product is expected to be biodegradable.

#### 2.2. Label elements

##### Label In Accordance With (EC) No. 1272/2008

No pictogram required.

##### Precautionary Statements

|              |  |
|--------------|--|
| P102         | Keep out of reach of children.   |
| P262         | Do not get in eyes, on skin, or on clothing.   |
| P280         | Wear protective gloves.  |
| P305+351+338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P313         | Get medical advice/attention.  |

# STAIN PRO

## 2.3. Other hazards

See section 8 for details of exposure limits.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

|  |  |
|--|--|
| (2-METHOXYMETHYLETHOXY)PROPANOL                  | 1-5%   |
| CAS-No.: 34590-94-8                              | EC No.: 252-104-2                              |
| Classification (EC 1272/2008)<br>Not classified. | Classification (67/548/EEC)<br>Not classified. |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

#### **Inhalation**

Move into fresh air and keep at rest. Get medical attention if any discomfort continues.

#### **Ingestion**

Do not induce vomiting. Immediately rinse mouth and drink plenty of water (200-300 ml). Do not give victim anything to drink if they are unconscious. Get medical attention.

#### **Skin contact**

Wash skin with soap and water. Get medical attention if irritation persists after washing.

#### **Eye contact**

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical attention if any discomfort continues.

### 4.2. Most important symptoms and effects, both acute and delayed

#### **Skin contact**

Prolonged skin contact may cause redness and irritation.

#### **Eye contact**

May cause temporary eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat Symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### **Extinguishing media**

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials. Water spray, dry powder or carbon dioxide.

### 5.2. Special hazards arising from the substance or mixture

#### **Hazardous combustion products**

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

#### **Unusual Fire & Explosion Hazards**

No unusual fire or explosion hazards noted.

### 5.3. Advice for firefighters

#### **Protective equipment for fire-fighters**

No specific recommendations.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet.

# STAIN PRO

## 6.2. Environmental precautions

Do not discharge into drains, water courses or onto the ground.

## 6.3. Methods and material for containment and cleaning up

Collect with absorbent, non-combustible material into suitable containers. Dispose of waste and residues in accordance with local authority requirements.

## 6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Wear protective clothing as described in Section 8 of this safety data sheet. Wash hands after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Store in closed original container at temperatures between 5°C and 30°C.

### 7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

| Name                            | STD | TWA - 8 Hrs |                       | STEL - 15 Min |  | Notes |
|---------------------------------|-----|-------------|-----------------------|---------------|--|-------|
| (2-METHOXYMETHYLETHOXY)PROPANOL | WEL | 50 ppm      | 308 mg/m <sup>3</sup> |               |  | Sk    |

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through skin.

### 8.2. Exposure controls

#### Protective equipment



#### Engineering measures

Provide adequate ventilation.

#### Respiratory equipment

Not required in normal use. For situations where recommended exposure limits may be exceeded or where there is a risk of inhalation of fine spray mists, a suitable respirator face mask is recommended.

#### Hand protection

Nitrile gloves are recommended. Protective gloves should be inspected for wear before use and replaced regularly in accordance with the manufacturers specifications.

#### Eye protection

Side shield safety glasses are recommended when handling this product.

#### Hygiene measures

Wash hands after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using the product.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

|            |                   |
|------------|-------------------|
| Appearance | Clear liquid.     |
| Colour     | Colourless.       |
| Odour      | Citrus            |
| Solubility | Soluble in water. |

# STAIN PRO

**Initial boiling point and boiling range** 100°C

(°C)

**Relative density** 1.02

**Vapour density (air=1)**

Not determined.

**Vapour pressure**

Not determined.

**Evaporation rate**

Not determined.

**pH-Value, Conc. Solution** 10.5

**pH-Value, Diluted Solution**

Not applicable.

**Viscosity**

Not determined.

**Flash point (°C)**

Not applicable.

**Flammability Limit - Lower(%)**

Not applicable.

**Partition Coefficient**

(N-Octanol/Water)

Not determined.

**Explosive properties**

Not applicable.

**Oxidising properties**

Not applicable.

## 9.2. Other information

None.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

There are no known reactivity hazards associated with this product.

### 10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

### 10.3. Possibility of hazardous reactions

Not determined.

### 10.4. Conditions to avoid

Store in closed original container at temperatures between 5°C and 30°C. Protect from freezing and direct sunlight.

### 10.5. Incompatible materials

**Materials To Avoid**

Strong oxidising substances.

### 10.6. Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Acute toxicity:

Product is alkaline and may be mildly corrosive to mucous membranes. Ingestion may cause: nausea Systemic Effects Limited inhalation hazard at normal work temperatures. Excessive inhalation of spray, mist or vapour may cause temporary respiratory irritation.

#### Skin Corrosion/Irritation:

Prolonged or repeated exposure may cause: skin irritation and dermatitis.

#### Serious eye damage/irritation:

May cause temporary eye irritation.

# STAIN PRO

## Respiratory or skin sensitisation:

None known.

## Germ cell mutagenicity:

No effects expected based upon current data.

## Carcinogenicity:

No effects expected based upon current data.

## Reproductive Toxicity:

No effects expected based upon current data.

### Toxicological information on ingredients.

(2-METHOXYMETHYLETHOXY)PROPANOL (CAS: 34590-94-8)

#### Acute toxicity:

##### Acute Toxicity (Oral LD50)

5135 mg/kg Rat

##### Acute Toxicity (Dermal LD50)

> 20 mg/kg Rabbit

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

The product is not expected to be hazardous to the environment.

#### Ecological information on ingredients.

(2-METHOXYMETHYLETHOXY)PROPANOL (CAS: 34590-94-8)

##### LC 50, 96 Hrs, Fish mg/l

>10000

##### EC 50, 48 Hrs, Daphnia, mg/l

1919

##### IC 50, 72 Hrs, Algae, mg/l

>969

### 12.2. Persistence and degradability

#### Degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

#### Ecological information on ingredients.

(2-METHOXYMETHYLETHOXY)PROPANOL (CAS: 34590-94-8)

##### Chemical Oxygen Demand

2.02

### 12.3. Bioaccumulative potential

#### Bioaccumulative potential

Not known.

#### Partition coefficient

Not determined.

#### Ecological information on ingredients.

(2-METHOXYMETHYLETHOXY)PROPANOL (CAS: 34590-94-8)

##### Partition coefficient

-0.35

### 12.4. Mobility in soil

# STAIN PRO

## **Mobility:**

The product is soluble in water.

## **12.5. Results of PBT and vPvB assessment**

This product does not contain any PBT or vPvB substances.

## **12.6. Other adverse effects**

None known.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

### **13.1. Waste treatment methods**

Dispose of waste and residues in accordance with local authority requirements. Empty containers should be rinsed with water then crushed and disposed of at legal waste disposal site.

## **SECTION 14: TRANSPORT INFORMATION**

### **14.1. UN number**

Not classified for transportation.

### **14.2. UN proper shipping name**

None.

### **14.3. Transport hazard class(es)**

ADR/RID/ADN Class -

IMDG Class -

### **14.4. Packing group**

None.

### **14.5. Environmental hazards**

**Environmentally Hazardous Substance/Marine Pollutant**

No.

### **14.6. Special precautions for user**

None.

### **14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

## **SECTION 15: REGULATORY INFORMATION**

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

#### **Uk Regulatory References**

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments. Chemicals (Hazard Information & Packaging) Regulations.

#### **EU Legislation**

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

### **15.2. Chemical Safety Assessment**

No chemical safety assessment has been carried out.

# STAIN PRO

## SECTION 16: OTHER INFORMATION

### General information

Telephone 020 8974 1515

### Revision Comments

NOTE: Lines within the margin indicate significant changes from the previous revision.

|                        |                |
|------------------------|----------------|
| <b>Revision Date</b>   | 13/05/2014     |
| <b>Revision</b>        | 2              |
| <b>Supersedes date</b> | 21/11/2012     |
| <b>Signature</b>       | Aaron Saunders |

### Risk Phrases In Full

NC Not classified.

### Hazard Statements In Full

### Disclaimer

For additional information on safety, training and use of this product, contact the supplier. This product is intended for professional use only. The information given is intended to be of assistance to users but is without guarantee. Variations can occur in application and users are advised to conduct their own tests. Suggestions for use neither give nor imply any guarantee as to the intended use.