



SAFETY DATA SHEET POWER BURST

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name POWER BURST

Product No. S789

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses A powerful, high performance alkaline detergent pre-spray for pre-cleaning heavily soiled commercial carpet. Ideal for greasy restaurant carpets and traffic lanes where there is a high build up of grease, oil, fats, food and protein soils.

1.3. Details of the supplier of the safety data sheet

Supplier Prochem Europe Ltd
Oakcroft Road
Chessington
Surrey
KT9 1RH
Telephone: 020 8974 1515
Fax: 020 8974 1511
www.prochem.co.uk
sales@prochem.co.uk

1.4. Emergency telephone number

020 8974 1515 (office hours 8am to 5pm Monday to Friday) Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department, who may seek advice from the UK National Poisons Information Service, where our full product details are held.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (1999/45/EEC) Xi;R38, R41.

Human health

Contact with concentrate or solution May cause severe irritation to eyes. Risk of serious damage to eyes. May cause possible injury if not promptly rinsed. Prolonged or repeated exposure may cause: skin irritation and dermatitis. Excessive exposure to powder concentrate dust or solution spray mist may cause respiratory irritation. Product is alkaline and may be mildly corrosive to mucous membranes. Ingestion may cause: nausea irritation

Environment

The product is not expected to be hazardous to the environment.

Physical and Chemical Hazards

None known.

2.2. Label elements

Labelling



Irritant

Risk Phrases

R38 Irritating to skin.
R41 Risk of serious damage to eyes.

Safety Phrases

S2 Keep out of the reach of children.
S23 Do not breathe spray.
S24/25 Avoid contact with skin and eyes.
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

POWER BURST

S28
S37/39

After contact with skin, wash immediately with plenty of water.
Wear suitable gloves and eye/face protection.

2.3. Other hazards

See section 8 for details of exposure limits.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

SODIUM CARBONATE	15-30%
CAS-No.: 497-19-8	EC No.: 207-838-8
Classification (EC 1272/2008) Eye Irrit. 2 - H319	Classification (67/548/EEC) Xi;R36
ALCOHOLS C9-11, ETHOXYLATED	5-15%
CAS-No.: 68439-45-2	EC No.:
Classification (EC 1272/2008) Acute Tox. 4 - H302 Eye Dam. 1 - H318	Classification (67/548/EEC) Xn;R22. Xi;R41.
ALCOHOLS, C9-11, ETHOXYLATED	5-15%
CAS-No.: 68439-45-2	EC No.:
Classification (EC 1272/2008) Acute Tox. 4 - H302 Eye Dam. 1 - H318	Classification (67/548/EEC) Xn;R22. Xi;R41.
TRISODIUM ORTHOPHOSPHATE	5-15%
CAS-No.: 10101-89-0	EC No.:
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335	Classification (67/548/EEC) Xi;R36/37/38.
DISODIUM METASILICATE	1-5%
CAS-No.: 6834-92-0	EC No.: 229-912-9
Classification (EC 1272/2008) Skin Corr. 1B - H314 STOT SE 3 - H335	Classification (67/548/EEC) C;R34 Xi;R37
(2-METHOXYMETHYLETHOXY)PROPANOL	1-5%
CAS-No.: 34590-94-8	EC No.: 252-104-2
Classification (EC 1272/2008) Not classified.	Classification (67/548/EEC) Not classified.

POWER BURST

SODIUM XYLENESULPHONATE		1-5%
CAS-No.: 1300-72-7	EC No.: 215-090-9	
Classification (EC 1272/2008) Eye Irrit. 2 - H319	Classification (67/548/EEC) Xi;R36.	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues. If powder is accidentally inhaled then treat as ingestion. Rinse nose and mouth with water.

Ingestion

Rinse mouth thoroughly. Drink plenty of water. Never give liquid to an unconscious person. Get medical attention. DO NOT INDUCE VOMITING!

Skin contact

Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.

Eye contact

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Ingestion

Product is alkaline and may be mildly corrosive to mucous membranes. Ingestion may cause: nausea irritation

Eye contact

Contact with concentrate or solution May cause severe irritation to eyes. May cause permanent damage if eye is not immediately irrigated.

4.3. Indication of any immediate medical attention and special treatment needed

In the event of contact with eyes or ingestion seek immediate medical help.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

This product is not flammable. Use: Water spray, dry powder or carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

Unusual Fire & Explosion Hazards

No unusual fire or explosion hazards noted.

5.3. Advice for firefighters

Protective equipment for fire-fighters

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Avoid discharge into water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

For concentrate: Recover the product and place in a suitable container for reuse. For solution: Absorb spillage with non-combustible, absorbent material. Transfer to a container for disposal.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

POWER BURST

7.1. Precautions for safe handling

Wear protective clothing as described in Section 8 of this safety data sheet. Wash hands after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using the product.

7.2. Conditions for safe storage, including any incompatibilities

Do not store near heat sources or expose to high temperatures. Store in closed original container at temperatures between 5°C and 30°C. Keep out of the reach of children.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
(2-METHOXYMETHYLETHOXY)PROPANOL	WEL	50 ppm	308 mg/m ³			Sk
DISODIUM METASILICATE	SUP				2 mg/m ³	SUP = Supplier's recommendation.
POWER BURST	NUI	4 mg/m ³ resp. dust	10 mg/m ³ total dust			NUI = Nuisance Dust.

Sk = Can be absorbed through skin.

8.2. Exposure controls

Protective equipment



Engineering measures

Provide adequate ventilation.

Respiratory equipment

Not required in normal use. For situations where recommended exposure limits may be exceeded or where there is a risk of inhalation of fine spray mists, a suitable respirator face mask is recommended.

Hand protection

Nitrile gloves are recommended. Protective gloves should be inspected for wear before use and replaced regularly in accordance with the manufacturers specifications.

Eye protection

Side shield safety glasses are recommended when handling this product.

Hygiene measures

Wash hands after handling. Wash contaminated clothing before reuse. When using do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Powder.
Colour	White.
Odour	Floral
Solubility	Soluble in water.
Initial boiling point and boiling range	Not applicable.
Relative density	1.0
Vapour density (air=1)	Not determined.
Vapour pressure	Not determined.
Evaporation rate	Not determined.
pH-Value, Conc. Solution	Not applicable.

POWER BURST

pH-Value, Diluted Solution 11

Viscosity

Not applicable.

Odour Threshold, Lower

Not determined.

Odour Threshold, Upper

Not determined.

Auto Ignition Temperature (°C)

Not determined.

Flammability Limit - Lower(%)

Not applicable.

Flammability Limit - Upper(%)

Not applicable.

Partition Coefficient

(N-Octanol/Water)

Not determined.

Explosive properties

Not applicable.

Oxidising properties

Not applicable.

9.2. Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

Not determined.

10.4. Conditions to avoid

Store in closed original container at temperatures between 5°C and 30°C. Protect from freezing and direct sunlight.

10.5. Incompatible materials

Materials To Avoid

Strong oxidising agents. Strong alkalis.

10.6. Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity:

Dust may irritate respiratory system. Possible respiratory irritation by wetting agents in atomised spray form. Vapours may cause headache, fatigue, dizziness and nausea. Product is alkaline and may be mildly corrosive to mucous membranes. Ingestion may cause: irritation nausea Diarrhoea.

Skin Corrosion/Irritation:

Prolonged or repeated exposure may cause: skin irritation and dermatitis.

Serious eye damage/irritation:

Contact with concentrate or solution May cause severe irritation to eyes. Risk of serious damage to eyes. May cause possible injury if not promptly rinsed.

Respiratory or skin sensitisation:

None known.

Germ cell mutagenicity:

No effects expected based upon current data.

POWER BURST

Carcinogenicity:

No effects expected based upon current data.

Reproductive Toxicity:

No effects expected based upon current data.

Toxicological information on ingredients.

SODIUM CARBONATE (CAS: 497-19-8)

Acute toxicity:

Acute Toxicity (Oral LD50)

2800 mg/kg Rat

Acute Toxicity (Dermal LD50)

2000 mg/kg Rabbit

Acute Toxicity (Inhalation LC50)

2.3 mg/l (dust/mist) Rat 4 hours

DISODIUM METASILICATE (CAS: 6834-92-0)

Acute toxicity:

Acute Toxicity (Oral LD50)

1280 mg/kg Rat

TRISODIUM ORTHOPHOSPHATE (CAS: 10101-89-0)

Acute toxicity:

Acute Toxicity (Oral LD50)

7400 mg/kg Rat

SODIUM XYLENESULPHONATE (CAS: 1300-72-7)

Acute toxicity:

Acute Toxicity (Oral LD50)

> 2000 mg/kg Rat

(2-METHOXYMETHYLETHOXY)PROPANOL (CAS: 34590-94-8)

Acute toxicity:

Acute Toxicity (Oral LD50)

5135 mg/kg Rat

Acute Toxicity (Dermal LD50)

> 20 mg/kg Rabbit

ALCOHOLS C9-11, ETHOXYLATED (CAS: 68439-45-2)

Acute toxicity:

Acute Toxicity (Oral LD50)

> 300 mg/kg

Acute Toxicity (Dermal LD50)

> 2000 mg/kg

ALCOHOLS, C9-11, ETHOXYLATED (CAS: 68439-45-2)

Acute toxicity:

Acute Toxicity (Oral LD50)

> 300 mg/kg

Acute Toxicity (Dermal LD50)

> 2000 mg/kg

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

POWER BURST

Ecological information on ingredients.

DISODIUM METASILICATE (CAS: 6834-92-0)

Acute Toxicity - Fish

LC50 96 hours 3185 mg/l

Acute Toxicity - Aquatic Invertebrates

EC50 48 hours 4857 mg/l Daphnia magna

TRISODIUM ORTHOPHOSPHATE (CAS: 10101-89-0)

Acute Toxicity - Fish

LC50 96 hours 150 mg/l Poecilia reticulata (Guppy)

(2-METHOXYMETHYLETHOXY)PROPANOL (CAS: 34590-94-8)

LC 50, 96 Hrs, Fish mg/l

>10000

EC 50, 48 Hrs, Daphnia, mg/l

1919

IC 50, 72 Hrs, Algae, mg/l

>969

ALCOHOLS C9-11, ETHOXYLATED (CAS: 68439-45-2)

Acute Toxicity - Fish

LC50 > 10 mg/l

Acute Toxicity - Aquatic Invertebrates

EC50 > 1 mg/l

Acute Toxicity - Aquatic Plants

IC50 > 10 mg/l

ALCOHOLS, C9-11, ETHOXYLATED (CAS: 68439-45-2)

Acute Toxicity - Fish

LC50 > 10 mg/l

Acute Toxicity - Aquatic Invertebrates

EC50 > 1 mg/l

Acute Toxicity - Aquatic Plants

IC50 > 10 mg/l

12.2. Persistence and degradability

Degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Ecological information on ingredients.

(2-METHOXYMETHYLETHOXY)PROPANOL (CAS: 34590-94-8)

Chemical Oxygen Demand

2.02

12.3. Bioaccumulative potential

Bioaccumulative potential

The product is not bioaccumulating.

Partition coefficient

Not determined.

12.4. Mobility in soil

Mobility:

The product is soluble in water.

12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

None known.

POWER BURST

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Empty containers should be rinsed with water then crushed and disposed of at legal waste disposal site.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

Not classified for transportation.

14.2. UN proper shipping name

Proper Shipping Name None

14.3. Transport hazard class(es)

None.

ADR/RID/ADN Class -

IMDG Class -

14.4. Packing group

None.

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant

No.

14.6. Special precautions for user

None.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Uk Regulatory References

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments. The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

EU Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

General information

Telephone 020 8974 1515

Revision Date 13/11/2012

Revision 1

Signature Aaron Saunders

POWER BURST

Risk Phrases In Full

R34	Causes burns.
R22	Harmful if swallowed.
R36/37/38	Irritating to eyes, respiratory system and skin.
R36	Irritating to eyes.
R37	Irritating to respiratory system.
R38	Irritating to skin.
R41	Risk of serious damage to eyes.

Hazard Statements In Full

H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H302	Harmful if swallowed.
H335	May cause respiratory irritation.

Disclaimer

For additional information on safety, training and use of this product, contact the supplier. This product is intended for professional use only. The information given is intended to be of assistance to users but is without guarantee. Variations can occur in application and users are advised to conduct their own tests. Suggestions for use neither give nor imply any guarantee as to the intended use.