

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name **SOLVENT DEGREASER**  
 Product No. **K123C**

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses **fast drying, leaves no residue. free of chlorinated solvents or cfc's**

### 1.3. Details of the supplier of the safety data sheet

Selden Research Limited t : 01298 26226  
 Staden Lane  
 Ashbourne Road f : 01298 26540  
 Buxton  
 Derbyshire e : safety@selden.co.uk  
 SK17 9RZ  
 United Kingdom

### 1.4. Emergency telephone number

01298 26226

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

Classification (67/548/EEC) **Xi;R36/38. F+;R12. N;R51/53. R67.**

### 2.2. Label elements

Labelling



Dangerous for the En



Extremely Flammable



Irritant (Xi)

Risk Phrases

**R12 Extremely flammable., R36/38 Irritating to eyes and skin., R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment., R67 Vapours may cause drowsiness and dizziness.**

Safety Phrases

**A1 Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use., A2 Do not spray on a naked flame or any incandescent material.**  
**S16 Keep away from sources of ignition - No smoking.**  
**S23 Do not breathe vapour/spray.**  
**S24/25 Avoid contact with skin and eyes.**  
**S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.**  
**S37 Wear suitable gloves.**  
**S51 Use only in well-ventilated areas.**

### 2.3. Other hazards

**PRESSURISED CONTAINER - increase in temperature to greater than 50C will cause internal pressure to rise potentially causing bursting/explosion.**

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

Not Applicable

### 3.2. Mixtures

DIMETHOXYMETHANE		5-10%
CAS-No.: 109-87-5	EEC (EINECS) No. 203-714-2	
Classification (EC 1272/2008)		Classification (67/548/EEC)
Flammable liquids, category 2 - H225		F;R11

HYDROCARBONS C7, N-ALKANES, ISOALKANES, CYCLICS		30-60%
CAS-No.: EEC (EINECS) No. 927-510-4		
Classification (EC 1272/2008)	Classification (67/548/EEC)	
Aspiration hazard, category 1 - H304	Xn;R65	
Skin irritation, category 2 - H315	Xi;R38	
Flammable liquids, category 2 - H225	F;R11	
Hazardous to the aquatic environment, chronic, category 2 - H411	N;R51/53	
Hazardous to the aquatic environment, chronic, category 2 - H411	R67	
STOT***, single exposure, category 3 - Narcotic effects - H336		
HYDROCARBONS, C6, ISOALKANES, <5% N-HEXANE		10-30%
CAS-No.: EEC (EINECS) No. 931-254-9		
Classification (EC 1272/2008)	Classification (67/548/EEC)	
Aspiration hazard, category 1 - H304	Xn;R65	
Skin irritation, category 2 - H315	Xi;R38	
Flammable liquids, category 2 - H225	F;R11	
Hazardous to the aquatic environment, chronic, category 2 - H411	N;R51/53	
Hazardous to the aquatic environment, chronic, category 2 - H411	R67	
STOT***, single exposure, category 3 - Narcotic effects - H336		
PROPAN-2-OL		30-60%
CAS-No.: 67-63-0 EEC (EINECS) No. 200-661-7		
Classification (EC 1272/2008)	Classification (67/548/EEC)	
Flammable liquids, category 2 - H225	F;R11	
Eye irritation, category 2 - H319	Xi;R36	
STOT***, single exposure, category 3 - Narcotic effects - H336		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

#### General information

Inhalation	Move the exposed person to fresh air at once., Keep the affected person warm and at rest. Get prompt medical attention., For breathing difficulties oxygen may be necessary.
Ingestion	Rinse mouth thoroughly., Provide rest, warmth and fresh air.
Skin contact	Wash the skin immediately with soap and water., Get medical attention if any discomfort continues.
Eye contact	Promptly wash eyes with plenty of water while lifting the eye lids., Continue to rinse for at least 15 minutes., Get medical attention if any discomfort continues.

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Vapours may cause headache, fatigue, dizziness and nausea., Prolonged inhalation of high concentrations may damage respiratory system., High concentrations of vapours may irritate respiratory system and lead to headache, fatigue, nausea and vomiting.
Ingestion	May cause burns in mucous membranes, throat, oesophagus and stomach., May cause stomach pain or vomiting.
Skin contact	Prolonged or repeated exposure may cause severe irritation., Acts as a defatting agent on skin. May cause cracking of skin, and eczema.
Eye contact	May cause severe irritation to eyes.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat Symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

Extinguishing media Use:, Powder., Dry chemicals, sand, dolomite etc., Water spray, fog or mist.

### 5.2. Special hazards arising from the substance or mixture

Unsuitable extinguishing media

### 5.3. Advice for firefighters

Special Fire Fighting Procedures Self contained breathing apparatus and full protective clothing must be worn in case of fire. Containers close to fire should be removed or cooled with water., Use water to keep fire exposed containers cool and disperse vapours.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

For personal protection, see section 8.

### 6.2. Environmental precautions

Any spillage needs to be contained and not allowed to enter water courses

### 6.3. Methods and material for containment and cleaning up

Wear necessary protective equipment., Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate., If leakage cannot be stopped, evacuate area.

### 6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Keep away from heat, sparks and open flame., Avoid spilling, skin and eye contact., Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level.

### 7.2. Conditions for safe storage, including any incompatibilities

Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C.

### 7.3. Specific end use(s)

See product label for detailed usage and instructions.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Name	STD	TWA - 8 Hrs	STEL - 15 Min	Notes
DIMETHOXYMETHANE	WEL	1000 ppm3160 mg/m3	1250 ppm3950 mg/m3	
PROPAN-2-OL	WEL	400 ppm999 mg/m3	500 ppm1250 mg/m3	

WEL = Workplace Exposure Limits

### 8.2. Exposure controls

Protective equipment



Engineering measures

Provide adequate general and local exhaust ventilation.

Hand protection

Use protective gloves.

Eye protection

Wear approved safety goggles.

Other Protection

General workwear only

Hygiene measures

DO NOT SMOKE IN WORK AREA!

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance	Aerosol.
Comments	Information given relates to total aerosol container contents.
Flash point (°C)	- 74
Auto Ignition Temperature (°C)	+ 405
Flammability Limit - Upper(%)	1.8
Flammability Limit - Lower(%)	10.0

**SECTION 10: STABILITY AND REACTIVITY**10.1. Reactivity

Stable under normal temperature conditions., Avoid, Shocks and physical damage.

10.2. Chemical stability

Stable under normal temperature conditions., Avoid, Shocks and physical damage.

10.3. Possibility of hazardous reactions

None known

10.4. Conditions to avoid

Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

Fire creates:, Vapours/gases/fumes of:, Carbon monoxide (CO)., Carbon dioxide (CO<sub>2</sub>).

**SECTION 11: TOXICOLOGICAL INFORMATION**11.1. Information on toxicological effects

Toxicological information	No toxicological data is available for this mixture, however data can be provided for specific raw materials upon request.
Inhalation	Vapours may cause headache, fatigue, dizziness and nausea., Prolonged inhalation of high concentrations may damage respiratory system., High concentrations of vapours may irritate respiratory system and lead to headache, fatigue, nausea and vomiting.
Ingestion	May cause burns in mucous membranes, throat, oesophagus and stomach., May cause stomach pain or vomiting.
Skin contact	Prolonged or repeated exposure may cause severe irritation., Acts as a defatting agent on skin. May cause cracking of skin, and eczema.
Eye contact	May cause severe irritation to eyes.

**SECTION 12: ECOLOGICAL INFORMATION**12.1. Toxicity

Toxic to aquatic organisms., May cause long term adverse effects in the aquatic environment.

12.2. Persistence and degradability

Degradability	The surfactants contained within the product comply with the biodegradability criteria as laid down in Regulation (EC) No 648/2004.
---------------	---

12.3. Bioaccumulative potential

Bioaccumulative potential      The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility:      The product contains substances, which are water soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or PvB substances

12.6. Other adverse effects

None known

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Empty containers must not be burned because of explosion hazard., Dispose of waste and residues in accordance with local authority requirements.

## SECTION 14: TRANSPORT INFORMATION

### 14.1. UN number

UN No. (ADR/RID/ADN)	1950
UN No. (IMDG)	1950
UN No. (ICAO)	1950

### 14.2. UN proper shipping name

Proper Shipping Name: AEROSOLS, FLAMMABLE

### 14.3. Transport hazard class(es)

ADR/RID/ADN Class	2
ADR/RID/ADN Class	Class 2: Gases
IMDG Class	2.1
ICAO Class/Division	2.1
Transport Labels	Not Applicable

### 14.4. Packing group

### 14.5. Environmental hazards

Environmentally Hazardous substance/Marine Pollutant No

### 14.6. Special precautions for user

Tunnel Restriction Code n/a

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not relevant

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

UK Regulatory References	The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.
Environmental Listing	Rivers (Prevention of Pollution) Act 1961., Control of Pollution (Special Waste Regulations) Act 1980.
Statutory Instruments	Control of Substances Hazardous to Health., The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).
Approved Code Of Practice	Classification and Labelling of Substances and Preparations Dangerous for Supply.
Guidance Notes	Workplace Exposure Limits EH40., Introduction to Local Exhaust Ventilation HS(G)37., CHIP for everyone HSG (108).
EU Legislation	System of specific information relating to Dangerous Preparations. 2001/58/EC., Dangerous Preparations Directive 1999/45/EC., Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments., Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.
National Regulations	The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2007 (CDG 2007).

### 15.2. Chemical Safety Assessment

No chemical assessment has been carried out as this Safety Data Sheet is for a mixture

**SECTION 16: OTHER INFORMATION**

## General information

The following risk phrases relate to the raw materials in the product and not the product itself:-

## Revision Comments

Safety Data Sheet revised to be in accordance with EU Regulation No 453/2010 - REACH Regulations.

Revision Date 05/11/2012

Revision 12

## Risk Phrases In Full

R11 Highly flammable, R36 Irritating to eyes., R67 Vapours may cause drowsiness and dizziness. | R11 Highly flammable | R65 Harmful: may cause lung damage if swallowed., R38 Irritating to skin., R11 Highly flammable, R67 Vapours may cause drowsiness and dizziness., R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. | R65 Harmful: may cause lung damage if swallowed., R38 Irritating to skin., R11 Highly flammable, R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment., R67 Vapours may cause drowsiness and dizziness. |

## Hazard Statements In Full

H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.