

SAFETY DATA SHEET ODOUR NEUTRALISER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name ODOUR NEUTRALISER

Product number A222

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses A concentrated water soluble odour neutraliser and air conditioner effective against a broad

range of odour problems including smoke and fire residue. Odour Neutraliser can be added to carpet, fabric and hard surface cleaning solutions or diluted with water and applied by sprayer

or fogging unit.

1.3. Details of the supplier of the safety data sheet

Supplier www.prochem.co.uk

Prochem Europe Ltd Oakcroft Road Chessington Surrey KT9 1RH

Telephone: 020 8974 1515 Fax: 020 8974 1511 sales@prochem.co.uk

1.4. Emergency telephone number

Emergency telephone 020 8974 1515 (office hours 8am to 5pm Monday to Friday) Emergency Action: In the event

of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department, who may seek advice from the UK National Poisons Information

Service, where our full product details are held.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards

Not Classified

Health hazards

Eye Dam. 1 - H318 Elicitation - EUH208

Environmental hazards

Aquatic Chronic 3 - H412

Classification (67/548/EEC or 1999/45/EC)

Xi;R41. R52/53.

Human health

May cause severe eye irritation. May cause permanent damage if eye is not immediately irrigated. Prolonged skin contact may cause redness and irritation. Excessive inhalation of spray, mist or vapour may cause temporary respiratory irritation. Ingestion may cause: Nausea, vomiting.

Environmental

Harmful to aquatic life with long lasting effects. The product is expected to be biodegradable.

2.2. Label elements

Pictogram



Signal word Danger

Hazard statements

EUH208 Contains Turpentine, oil, Citral, d-Limonene, Cinnamal, Citronellal. May produce an

allergic reaction.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents / container in accordance with local / regional / national / international

regulations.

Contains ALCOHOLS C9-11, ETHOXYLATED

Detergent labelling 15 - < 30% non-ionic surfactants, 5 - < 15% perfumes, < 5% anionic surfactants, Contains d-

Limonene, Citral, Cinnamal, Linalool, Geraniol, coumarin, Citronellol

2.3. Other hazards

See section 8 for details of exposure limits.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

ALCOHOLS C9-11, ETHOXYLATED		10-24%
CAS number: 68439-45-2 EC number: —		
Classification	Classification (67/548/EEC or 1999/45/EC)	
Acute Tox. 4 - H302	Xn;R22. Xi;R41.	
Eye Dam. 1 - H318		
SODIUM XYLENESULPHONATE		1-5%
CAS number: 1300-72-7 FC number: 215-090-9		

Classification Classification (67/548/EEC or 1999/45/EC) Eye Irrit. 2 - H319 Xi;R36.

 Citral
 <1%</th>

 CAS number: 5392-40-5
 EC number: 226-394-6

 Classification
 Classification (67/548/EEC or 1999/45/EC)

 Skin Irrit. 2 - H315
 R43 Xi;R38

 Eye Irrit. 2 - H319
 Skin Sens. 1 - H317

 Cinnamal
 <1%</th>

 CAS number: 104-55-2
 EC number: 203-213-9

 Classification
 Classification (67/548/EEC or 1999/45/EC)

 Acute Tox. 4 - H312
 Xn;R21. Xi;R38. R43.

 Skin Irrit. 2 - H315
 Eye Irrit. 2 - H319

 Skin Sens. 1 - H317
 Skin Sens. 1 - H317

P-MENTHA-1,4(8)-DIENE

CAS number: 586-62-9 EC number: 209-578-0

Classification Classification (67/548/EEC or 1999/45/EC)

Flam. Liq. 3 - H226 Xn;R65. N;R51/53. R10.

Asp. Tox. 1 - H304

Aquatic Chronic 2 - H411

Turpentine, oil <1%
CAS number: 8006-64-2 EC number: 232-350-7

Classification (67/548/EEC or 1999/45/EC)
Flam. Liq. 3 - H226 R10 Xn;R20/21/22,R65 R43 Xi;R36/38 N;R51/53

Acute Tox. 4 - H302
Acute Tox. 4 - H312
Acute Tox. 4 - H332
Skin Irrit. 2 - H315
Eye Irrit. 2 - H319
Skin Sens. 1 - H317
Asp. Tox. 1 - H304
Aquatic Chronic 2 - H411

Citronellal <1%

CAS number: 106-23-0 EC number: 203-376-6

Classification Classification (67/548/EEC or 1999/45/EC)

Skin Irrit. 2 - H315 Xi;R38. N;R51/53. R43.

Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

In case of inhalation of spray mist: Move person into fresh air and keep at rest. Get medical attention if any discomfort continues.

Ingestion

Rinse mouth thoroughly with water. Drink a few glasses of water or milk. Never give anything by mouth to an unconscious person. Get medical attention immediately. Do not induce vomiting.

Skin contact

Rinse immediately with plenty of water. Get medical attention if irritation persists after washing.

Eye contact

Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

Spray mists irritate the respiratory system, and cause coughing and difficulties in breathing.

Eye contact

Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor

Eyes Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Water spray, dry powder or carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

Thermal decomposition or combustion products may include the following substances: Oxides of carbon.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions

Avoid discharge into drains or watercourses or onto the ground. Harmful to aquatic life with long lasting effects.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. For waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections

For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

Wear protective clothing as described in Section 8 of this safety data sheet. Provide adequate ventilation. Avoid inhalation of vapours and spray/mists. Observe any occupational exposure limits for the product or ingredients. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Keep out of the reach of children. Store in closed original container at temperatures between 5°C and 30°C.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

Turpentine, oil

Long-term exposure limit (8-hour TWA): WEL 100 ppm 566 mg/m3 Short-term exposure limit (15-minute): WEL 150 ppm 850 mg/m3

WEL = Workplace Exposure Limit

Ingredient comments

No exposure limits known for ingredient(s).

8.2. Exposure controls

Protective equipment





Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

Safety goggles are recommended when handling concentrate or during spraying application.

Hand protection

It is recommended that gloves are made of the following material: Nitrile rubber. Protective gloves should be inspected for wear before use and replaced regularly in accordance with the manufacturers specifications.

Hygiene measures

Wash hands after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using the product.

Respiratory protection

During fogging/spraying wear suitable respiratory equipment.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance

Clear liquid.

Colour

Turquoise Green.

Odour

Floral

Odour threshold

Not determined.

рΗ

pH (concentrated solution): 7.5 pH (diluted solution): 7.5

Melting point

Not determined.

Initial boiling point and range

100°C

Flash point

Not applicable.

Evaporation rate

Not determined.

Upper/lower flammability or explosive limits

Not determined.

Vapour pressure

Not determined.

Vapour density

Not determined.

Relative density

1.03

Solubility(ies)

Soluble in water.

Partition coefficient

Not determined.

Auto-ignition temperature

Not determined.

Viscosity

Not determined.

Explosive properties

Not determined.

Oxidising properties

Not applicable.

9.2. Other information

Other information

None.

SECTION 10: Stability and reactivity

10.1. Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability

Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Not determined.

10.4. Conditions to avoid

Store in closed original container at temperatures between 5°C and 30°C. Protect from freezing and direct sunlight.

10.5. Incompatible materials

Materials to avoid

Strong oxidising agents.

10.6. Hazardous decomposition products

Thermal decomposition or combustion products may include the following substances: Oxides of carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects

Inhalation Spray/mists may cause respiratory tract irritation. Ingestion. Possible mild irritation of digestive tract from detergent component.

Acute toxicity - oral

ATE oral (mg/kg)

3,086.41975309

Skin corrosion/irritation

Skin corrosion/irritation Prolonged skin contact may cause redness and irritation.

Serious eye damage/irritation

Vapour, spray or dust may cause chronic eye irritation or eye damage. May cause blurred vision and serious eye damage.

Skin sensitisation

Contains Limonene Citral Cinnamal Linalool Turpentine oil Citronellal Geraniol Coumarin Citronellol

Germ cell mutagenicity

Genotoxicity - in vitro

No effects expected based upon current data.

Carcinogenicity

No effects expected based upon current data.

Reproductive toxicity

Reproductive toxicity - fertility

No effects expected based upon current data.

Toxicological information on ingredients.

ALCOHOLS C9-11, ETHOXYLATED

Acute toxicity - oral

Acute toxicity oral (LD50 mg/kg)

300

Acute toxicity - dermal

Acute toxicity dermal (LD50 mg/kg)

2000

SODIUM XYLENESULPHONATE

Acute toxicity - oral

Acute toxicity oral (LD50 mg/kg)

7,200

Species

Rat

Acute toxicity - dermal

Acute toxicity dermal (LD50 mg/kg)

2000

Species

Rabbit

SECTION 12: Ecological Information

12.1. Toxicity

Ecological information on ingredients.

ALCOHOLS C9-11, ETHOXYLATED

Acute toxicity - fish

LC50, : > 10 mg/l,

Acute toxicity - aquatic invertebrates

 EC_{50} , : > 1 mg/l,

Acute toxicity - aquatic plants

 IC_{50} , : > 10 mg/l,

SODIUM XYLENESULPHONATE

Acute toxicity - fish

LC50,: 1000 mg/l,

Acute toxicity - aquatic invertebrates

EC₅₀, : 1000 mg/l,

Acute toxicity - aquatic plants

IC₅₀, : 230 mg/l,

12.2. Persistence and degradability

Persistence and degradability

The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

No data available on bioaccumulation.

Partition coefficient

Not determined.

12.4. Mobility in soil

Mobility

The product is soluble in water.

12.5. Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Empty containers should be rinsed with water then crushed and disposed of at legal waste disposal site.

SECTION 14: Transport information

14.1. UN number

Not classified for transportation.

14.2. UN proper shipping name

None.

14.3. Transport hazard class(es)

None.

ADR/RID class -

IMDG class -

14.4. Packing group

None.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

None.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).

EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information

Telephone 020 8974 1515

Revision comments

NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 02/10/2014

Revision 2

Supersedes date 21/03/2012

Signature Aaron Saunders

Risk phrases in full

R10 Flammable.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R22 Harmful if swallowed. R36 Irritating to eyes.

R36/38 Irritating to eyes and skin.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R43 May cause sensitisation by skin contact.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R65 Harmful: may cause lung damage if swallowed.

Hazard statements in full

EUH208 Contains Turpentine, oil, Citral, d-Limonene, Cinnamal, Citronellal. May produce an

allergic reaction.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Disclaimer

For additional information on safety, training and use of this product, contact the supplier. This product is intended for professional use only. The information given is intended to be of assistance to users but is without guarantee. Variations can occur in application and users are advised to conduct their own tests. Suggestions for use neither give nor imply any guarantee as to the intended use.