



H006 SELSCALE

1. IDENTIFICATION OF THE PREPARATION AND COMPANY

PRODUCT CODE: H006
PRODUCT NAME: SELSCALE
MANUFACTURER: Selden Research Limited
Staden Lane
Ashbourne Road
Buxton
Derbyshire
SK17 9RZ

TELEPHONE: 01298 26226
FAX: 01298 26540
EMAIL: safety@selden.co.uk

2. COMPOSITION/INFORMATION ON INGREDIENTS

NAME CAS No.:	EINECS Nr.:	CLASSIFICATION	CONTENT
ALCOHOL ETHOXYLATE		Xi;R38,R41.	1-5 %
HYDROCHLORIC ACID 231-595-7	7647-01-0	C;R34 Xi;R37	10-30 %

The full text for all R-Phrases are displayed in Section 16

3. HAZARDS IDENTIFICATION

R41 Risk of serious damage to eyes., R37/38 Irritating to respiratory system and skin.

4. FIRST AID MEASURES

INHALATION: Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

INGESTION: Remove victim immediately from source of exposure. DO NOT INDUCE VOMITING!, Rinse mouth thoroughly. Drink plenty of water. Get medical attention.

SKIN: Remove affected person from source of contamination. Remove contaminated clothing. Rinse the skin immediately with lots of water. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing.

EYES: Important! Immediately rinse with water for at least 15 minutes. Hold eyelids apart. Get medical attention immediately. Continue to rinse.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials. Use: Dry chemicals, sand, dolomite etc. Foam. Water spray.

SPECIAL FIRE FIGHTING PROCEDURES: Use water to keep fire exposed containers cool and disperse vapours.

6. ACCIDENTAL RELEASE MEASURES

SPILL CLEAN UP METHODS: Wear necessary protective equipment. Stop leak if possible without risk. DO NOT touch spilled material!, Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area.

7. HANDLING AND STORAGE

USAGE PRECAUTIONS: Avoid spilling, skin and eye contact.

STORAGE PRECAUTIONS: Store separated from: Alkalies. Bleach/Sodium hypochlorite solutions.

USAGE DESCRIPTION: Controlled substance storage.



H006 SELSCALE

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Clear, Liquid
COLOUR:	colourless
ODOUR:	Almond., Hydrochloric acid.
DENSITY/SPECIFIC GRAVITY(g/ml)	1.085 - 1.095
pH-VALUE, CONC. SOLUTION:	<1.0
SOLUBILITY:	Soluble in water

10. STABILITY AND REACTIVITY

STABILITY:	Stable under normal temperature conditions.
CONDITIONS TO AVOID:	Reacts with bleach/sodium hypochlorite solutions producing toxic chlorine gas.
HAZARDOUS COMPOSITION PRODUCTS:	Fire or high temperatures create:, Toxic gases/vapours/fumes of:, Carbon dioxide (CO ₂). Carbon monoxide (CO).

11. TOXICOLOGY INFORMATION

INHALATION:	May cause irritation to the respiratory system.
INGESTION:	Liquid irritates mucous membranes and may cause abdominal pain if swallowed. May cause stomach pain or vomiting. Nausea, vomiting.
SKIN CONTACT:	Irritating to skin. Prolonged or repeated exposure may cause severe irritation.
EYE CONTACT:	Risk of serious damage to eyes. Irritation of eyes and mucous membranes.

12. ECOLOGICAL INFORMATION

ECOTOXICITY:	Not classed as Hazardous to the Environment but release to the environment should be avoided.
--------------	---

13. DISPOSAL CONSIDERATIONS

DISPOSABLE METHODS:	Dispose of waste and residues in accordance with local authority requirements.
---------------------	--



H006 SELSCALE

14. TRANSPORT INFORMATION

LABEL FOR CONVEYANCE:



UN No ROAD:	1760
UK ROAD TRANSPORT CLASS:	8
UK ROAD PACK GR.:	III
ADR CLASS NO.:	8
ADR CLASS:	Class 8: Corrosive substances.
PROPER SHIPPING NAME I:	CORROSIVE LIQUID, NOS (Hydrochloric Acid)
UN No SEA:	1760
IMDG CLASS:	8
UN NO. AIR:	1760

15. REGULATORY INFORMATION

LABEL FOR SUPPLY:



RISK PHRASES:	R37/38 Irritating to respiratory system and skin. R41 Risk of serious damage to eyes.
SAFETY PHRASES:	S2 Keep out of the reach of children, S23 Do not breathe vapour/spray, S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S37/39 Wear suitable gloves and eye/face protection. S51 Use only in well-ventilated areas.
STATUTORY INSTRUMENTS:	Chemicals (Hazard Information and Packaging) Regulations. Control of Substances Hazardous to Health.
APPROVED CODE OF PRACTICE:	Classification and Labelling of Substances and Preparations Dangerous for Supply.
GUIDANCE NOTES:	Workplace Exposure Limits EH40. CHIP for everyone HSG(108).
DETERGENT LABELLING:	
	< 5% Non-ionic surfactants

16. OTHER INFORMATION

USER NOTES:	The following risk phrases relate to the raw materials in the product and not the product itself:-
REVISION DATE:	07/12/2005
REV. NO./REPL. SDS GENERATED:	10
R-PHRASES (Full Text):	R34 Causes burns., R37 Irritating to respiratory system. R38 Irritating to skin., R41 Risk of serious damage to eyes.