



SAFETY DATA SHEET

SUPER 500mL CONCENTRATED WASHING UP LIQUID

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name SUPER 500mL CONCENTRATED WASHING UP LIQUID
Product number 800-158-0008

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent.

1.3. Details of the supplier of the safety data sheet

Supplier COVENTRY CHEMICALS LTD
 WOODHAMS RD
 SISKIN DRIVE
 COVENTRY
 CV3 4FX

Tel: +44 (0) 02476639739
 Fax: +44 (0) 02476639717
 Email: sales@coventrychemicals.com

Contact person For content of safety data sheet: sds@coventrychemicals.com

1.4. Emergency telephone number

Emergency telephone +44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified
Health hazards Eye Irrit. 2 - H319
Environmental hazards Aquatic Chronic 3 - H412

2.2. Label elements

Pictogram



Signal word Warning

Hazard statements H319 Causes serious eye irritation.
 H412 Harmful to aquatic life with long lasting effects.

SUPER 500mL CONCENTRATED WASHING UP LIQUID

Precautionary statements P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P501 Dispose of contents/container in accordance with national regulations.
 P102 Keep out of reach of children.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| | | |
|---|--|--|
| SULFURIC ACID, C12-14-ALKYL (EVEN NUMBERED) ESTERS, SODIUM SALTS | | 1-5% |
| CAS number: 85586-07-8 | EC number: 287-809-4 | REACH registration number: 01-2119489463-28-XXXX |
| Classification | Classification (67/548/EEC or 1999/45/EC) | |
| Skin Irrit. 2 - H315 | Xn;R22. Xi;R38,R41. | |
| Eye Dam. 1 - H318 | | |
| Aquatic Chronic 3 - H412 | | |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention if irritation persists after washing.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact Prolonged contact may cause redness, irritation and dry skin.

Eye contact May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

SUPER 500mL CONCENTRATED WASHING UP LIQUID

Hazardous combustion products Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces.

6.2. Environmental precautions

Environmental precautions Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Provide adequate ventilation. Avoid contact with skin and eyes.

Advice on general occupational hygiene No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products. Wash at the end of each work shift and before eating, smoking and using the toilet.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Ingredient comments No exposure limits known for ingredient(s).

SODIUM CHLORIDE (CAS: 7647-14-5)

SUPER 500mL CONCENTRATED WASHING UP LIQUID

| | |
|-------------|--|
| DNEL | <p>Workers - Inhalation; Long term systemic effects: 2068.62 mg/m³</p> <p>Workers - Inhalation; Short term systemic effects: 2068.62 mg/m³</p> <p>Workers - Dermal; Long term systemic effects: 295.52 mg/kg/day</p> <p>Workers - Dermal; Short term systemic effects: 295.52 mg/kg/day</p> <p>General population - Inhalation; Long term systemic effects: 443.28 mg/m³</p> <p>General population - Inhalation; Short term systemic effects: 443.28 mg/m³</p> <p>General population - Dermal; Long term systemic effects: 126.65 mg/kg/day</p> <p>General population - Dermal; Short term systemic effects: 126.65 mg/kg/day</p> <p>General population - Oral; Long term systemic effects: 126.65 mg/kg/day</p> <p>General population - Oral; Short term systemic effects: 126.65 mg/kg/day</p> |
| PNEC | <p>- Fresh water; 5 mg/l</p> <p>- Intermittent release; 19</p> <p>- STP; 500 mg/l</p> <p>- Soil; 4.86 mg/kg</p> |

ALCOHOLS, C12-14, ETHOXYLATED < 2.5 EO, SULFATES, SODIUM SALTS (CAS: 68891-38-3)

| | |
|-------------|---|
| DNEL | <p>Workers - Dermal; Long term systemic effects: 2750 mg/kg/day</p> <p>Workers - Inhalation; Long term systemic effects: 175 mg/m³</p> <p>Consumer - Oral; Long term systemic effects: 15 mg/kg/day</p> <p>Consumer - Dermal; Long term systemic effects: 1650 mg/kg/day</p> <p>Consumer - Inhalation; Long term systemic effects: 52 mg/m³</p> |
| PNEC | <p>- Fresh water; 0.24 mg/l</p> <p>- Marine water; 0.024 mg/l</p> <p>- Intermittent release; 0.071 mg/l</p> <p>- Sediment, Fresh water; 5.45 mg/kg</p> <p>- Sediment, Marine water; 0.545 mg/kg</p> <p>- Soil; 0.946 mg/kg</p> <p>- STP; 10,000 mg/l</p> |

GLYCEROL (CAS: 56-81-5)

| | |
|-------------|---|
| DNEL | <p>Workers - Inhalation; Long term local effects: 56 mg/m³</p> <p>General population - Dermal; Long term local effects: 33 mg/m³</p> <p>General population - Oral; Long term systemic effects: 229 mg/kg/day</p> |
| PNEC | <p>- Fresh water; 0.885 mg/l</p> <p>- Marine water; 0.0885 mg/l</p> <p>- Intermittent release; 8.85 mg/l</p> <p>- STP; 1000 mg/l</p> <p>- Sediment (Freshwater); 3.3 mg/kg</p> <p>- Sediment (Marinewater); 0.33 mg/kg</p> <p>- Soil; 0.141 mg/kg</p> |

BRONOPOL (INN) (CAS: 52-51-7)

| | |
|-------------|---|
| DNEL | <p>Workers - Inhalation; Long term systemic effects: 4.1 mg/m³</p> <p>Workers - Dermal; Long term systemic effects: 2.3 mg/kg/day</p> <p>General population - Inhalation; Long term systemic effects: 1.2 mg/m³</p> |
|-------------|---|

SUPER 500mL CONCENTRATED WASHING UP LIQUID

| | |
|-------------|---|
| PNEC | <ul style="list-style-type: none"> - Fresh water; 0.01 mg/l - Marine water; 0.008 mg/l - Intermittent release; 0.0025 mg/l - STP; 0.43 mg/l - Sediment (Freshwater); 0.041 mg/kg - Sediment (Marinewater); 0.00328 mg/kg - Soil; 0.5 mg/kg |
|-------------|---|

8.2. Exposure controls

Protective equipment



| | |
|---|---|
| Appropriate engineering controls | Provide adequate ventilation. |
| Eye/face protection | No specific eye protection required during normal use. |
| Hand protection | For prolonged or repeated skin contact use suitable protective gloves. |
| Other skin and body protection | Use barrier creams to prevent skin contact. Wear appropriate clothing to prevent repeated or prolonged skin contact. |
| Hygiene measures | When using do not eat, drink or smoke. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin. |
| Respiratory protection | Respiratory protection not required. |
| Environmental exposure controls | Avoid release to the environment. Users should be aware of environmental considerations and their duties under the environmental protection act. Further information may be found on Government websites: www.dti.gov.uk/access/index/htm and www.enviowise.gov.uk . |

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

| | |
|--|---------------------------------|
| Appearance | Liquid. |
| Colour | Yellow. |
| Odour | Lemon. |
| Odour threshold | Not applicable. |
| pH | pH (concentrated solution): 7.5 |
| Melting point | Not applicable. |
| Initial boiling point and range | Not applicable. |
| Flash point | Not applicable. |
| Evaporation rate | Not determined. |
| Evaporation factor | Not applicable. |
| Vapour pressure | Not determined. |
| Vapour density | Not determined. |
| Relative density | 1.015 @ @ 20°C |

SUPER 500mL CONCENTRATED WASHING UP LIQUID

| | |
|----------------------------------|---|
| Bulk density | Not applicable. |
| Solubility(ies) | Soluble in water. |
| Auto-ignition temperature | Not applicable. |
| Decomposition Temperature | Not applicable. |
| Viscosity | Not determined. |
| Explosive properties | Not applicable |
| Oxidising properties | Not applicable. |
| Comments | Information given is applicable to the product as supplied. |

9.2. Other information

| | |
|--------------------------|---------------|
| Other information | Not relevant. |
|--------------------------|---------------|

SECTION 10: Stability and reactivity

10.1. Reactivity

| | |
|-------------------|---|
| Reactivity | There are no known reactivity hazards associated with this product. |
|-------------------|---|

10.2. Chemical stability

| | |
|------------------|--|
| Stability | Stable at normal ambient temperatures. |
|------------------|--|

10.3. Possibility of hazardous reactions

| | |
|---|-----------------|
| Possibility of hazardous reactions | Not applicable. |
|---|-----------------|

10.4. Conditions to avoid

| | |
|----------------------------|---|
| Conditions to avoid | Avoid exposure to high temperatures or direct sunlight. |
|----------------------------|---|

10.5. Incompatible materials

| | |
|---------------------------|--|
| Materials to avoid | No specific material or group of materials is likely to react with the product to produce a hazardous situation. |
|---------------------------|--|

10.6. Hazardous decomposition products

| | |
|---|---|
| Hazardous decomposition products | Does not decompose when used and stored as recommended. |
|---|---|

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|----------------------------|---|
| General information | This product has low toxicity. |
| Inhalation | No specific health hazards known. |
| Ingestion | May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea. |
| Skin contact | Skin irritation should not occur when used as recommended. Repeated exposure may cause skin dryness or cracking. |
| Eye contact | May cause temporary eye irritation. |

SECTION 12: Ecological Information

SUPER 500mL CONCENTRATED WASHING UP LIQUID

| | |
|-----------------------------|---|
| National regulations | The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended). EH40/2005 Workplace exposure limits. |
| EU legislation | Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended). |
| Guidance | Workplace Exposure Limits EH40. COSHH Essentials. ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets. |

15.2. Chemical safety assessment

Currently we do not have information from our suppliers about this.

SECTION 16: Other information

| | |
|---|---|
| Abbreviations and acronyms used in the safety data sheet | PBT Persistent Bio-accumulative and Toxic vPvB very Persistent, very Bio-accumulative |
| Revision comments | NOTE: Lines within the margin indicate significant changes from the previous revision. |
| Revision date | 12/05/2015 |
| Revision | 1 |
| SDS number | 20608 |
| Risk phrases in full | NC Not classified. R21/22 Harmful in contact with skin and if swallowed. R22 Harmful if swallowed. R37/38 Irritating to respiratory system and skin. R38 Irritating to skin. R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms. |
| Hazard statements in full | H315 Causes skin irritation. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects. |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.