

**SAFETY DATA SHEET**  
ECO LOGIK CG05 - HEAVY DUTY CLEANER

**Page:** 1  
**Compilation date:** 01/08/2010  
**Revision date:** 017/03/2015  
**Revision No:** 8

**Section 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

**Product name:** ECO LOGIK CG05 - HEAVY DUTY CLEANER

**Product code:** 326

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of substance / mixture:** PC35: Washing and cleaning products (including solvent based products).

**1.3. Details of the supplier of the safety data sheet**

**Company name:** CAPITAL CLEANING (KENT) LTD

PARAGON HOUSE

ST MICHAEL'S CLOSE

AYLESFORD

Kent

ME20 7BU

United Kingdom

**Tel:** +44 (0) 1622 714 800

**Fax:** +44 (0) 1622 790 997

**Email:** sales@capitalonline.biz

**1.4. Emergency telephone number**

**Section 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification under CLP:** Skin Corr. 1A: H314; Aquatic Chronic 3: H412; -: EUH208

**Most important adverse effects:** Contains limonene ( citrus dulcis ). May produce an allergic reaction. Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects.

**2.2. Label elements**

**Label elements:**

**Hazard statements:** EUH208: Contains limonene ( citrus dulcis ). May produce an allergic reaction.

H314: Causes severe skin burns and eye damage.

H412: Harmful to aquatic life with long lasting effects.

**Signal words:** Danger

**Hazard pictograms:** GHS05: Corrosion



# SAFETY DATA SHEET

ECO LOGIK CG05 - HEAVY DUTY CLEANER

Page: 2

**Precautionary statements:** P102: Keep out of reach of children.  
P282: Wear eye protection.  
P280: Wear protective gloves.  
P260: Do not breathe spray.  
P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P314: Get medical attention if you feel unwell.  
P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P332+313: If skin irritation occurs: Get medical attention.  
P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+313: If eye irritation persists: Get medical attention.  
P362: Take off contaminated clothing.

## 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

ISOTRIDECANOLETHOXYLATE,POLYMER(8 MOLE EO AVERAGE)

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	69011-36-5	-	Acute Tox. 4: H302; Eye Dam. 1: H318	1-10%

C9/11 A, >3-6 EO PREDOMINANTLY LINEAR (DID 21)

POLYMER	160875-66-1	-	Eye Dam. 1: H318	1-10%
---------	-------------	---	------------------	-------

2-(2-BUTOXYETHOXY)ETHANOL

203-961-6	112-34-5	-	Eye Irrit. 2: H319	1-10%
-----------	----------	---	--------------------	-------

LIMONENE ( CITRUS DULCIS )

232-433-8	8028-48-6	-	Flam. Liq. 3: H226; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Irrit. 2: H315; Skin Sens. 1: H317; Asp. Tox. 1: H304	<1%
-----------	-----------	---	--	-----

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water. Rinse skin with water.

**Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

[cont...]

**SAFETY DATA SHEET**  
ECO LOGIK CG05 - HEAVY DUTY CLEANER

Page: 3

**Ingestion:** Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Transfer to hospital as soon as possible.

**Inhalation:** Transfer to hospital as soon as possible.

**4.2. Most important symptoms and effects, both acute and delayed**

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

**4.3. Indication of any immediate medical attention and special treatment needed**

**Immediate / special treatment:** Eye bathing equipment should be available on the premises.

**Section 5: Fire-fighting measures**

**5.1. Extinguishing media**

**Extinguishing media:** Water.

**5.2. Special hazards arising from the substance or mixture**

**Exposure hazards:** In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

**5.3. Advice for fire-fighters**

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

**Section 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions:** Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

**6.2. Environmental precautions**

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

**6.3. Methods and material for containment and cleaning up**

**Clean-up procedures:** Transfer to a suitable container.

**6.4. Reference to other sections**

**Reference to other sections:** Refer to section 8 of SDS.

**Section 7: Handling and storage**

[cont...]

**SAFETY DATA SHEET**  
ECO LOGIK CG05 - HEAVY DUTY CLEANER

Page: 4

**7.1. Precautions for safe handling**

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.  
Avoid the formation or spread of mists in the air.

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed.  
**Suitable packaging:** Polyethylene. Stainless steel.

**7.3. Specific end use(s)**

**Specific end use(s):** No data available.

**Section 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Hazardous ingredients:**

**2-(2-BUTOXYETHOXY)ETHANOL**

**Workplace exposure limits:**

**Respirable dust**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	67.5 mg/m <sup>3</sup>	101.2 mg/m <sup>3</sup>	-	-

**DNEL/PNEC Values**

**DNEL / PNEC** No data available.

**8.2. Exposure controls**

**Engineering measures:** Ensure there is sufficient ventilation of the area.  
**Respiratory protection:** Respiratory protection not required.  
**Hand protection:** Protective gloves. Gloves (alkali-resistant).  
**Eye protection:** Safety glasses. Ensure eye bath is to hand.  
**Skin protection:** Protective clothing.

**Section 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

**State:** Liquid

**Colour:** Orange

**Odour:** Pleasant

**Evaporation rate:** Moderate

**Oxidising:** Non-oxidising (by EC criteria)

**Solubility in water:** Soluble

**Also soluble in:** Ethanol.

**Viscosity:** Non-viscous

**Boiling point/range°C:** 100

**Melting point/range°C:** 0

**Flammability limits %: lower:** Not applicable.

[cont...]

**SAFETY DATA SHEET**  
ECO LOGIK CG05 - HEAVY DUTY CLEANER

Page: 5

<p><b>Flash point°C:</b> Not applicable.</p> <p><b>Autoflammability°C:</b> Not applicable.</p> <p><b>Relative density:</b> 1.0 - 1.1</p> <p><b>VOC g/l:</b> Not applicable.</p>	<p><b>upper:</b> Not applicable.</p> <p><b>Part.coeff. n-octanol/water:</b> Not applicable.</p> <p><b>Vapour pressure:</b> Not applicable.</p> <p><b>pH:</b> 12.8</p>
---	---

**9.2. Other information**

**Other information:** No data available.

**Section 10: Stability and reactivity**

**10.1. Reactivity**

**Reactivity:** Stable under recommended transport or storage conditions.

**10.2. Chemical stability**

**Chemical stability:** Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.

**10.4. Conditions to avoid**

**10.5. Incompatible materials**

**10.6. Hazardous decomposition products**

**Haz. decomp. products:** In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

**Section 11: Toxicological information**

**11.1. Information on toxicological effects**

**Hazardous ingredients:**

**ISOTRIDECANOLETHOXYLATE,POLYMER(8 MOLE EO AVERAGE)**

ORAL	RAT	LD50	500-2000 mg/kg
------	-----	------	----------------

**C9/11 A, >3-6 EO PREDOMINANTLY LINEAR (DID 21)**

ORL	RAT	LD50	>2000 mg/kg
-----	-----	------	-------------

**2-(2-BUTOXYETHOXY)ETHANOL**

ORL	MUS	LD50	6050 mg/kg
ORL	RAT	LD50	4500 mg/kg

[cont...]

**SAFETY DATA SHEET**  
ECO LOGIK CG05 - HEAVY DUTY CLEANER

Page: 6

**Relevant hazards for substance:**

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

**Symptoms / routes of exposure**

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

**Section 12: Ecological information**

**12.1. Toxicity**

**Hazardous ingredients:**

**ISOTRIDECANOLETHOXYLATE,POLYMER(8 MOLE EO AVERAGE)**

FISH	96H LC50	1-10	mg/l
------	----------	------	------

**C9/11 A, >3-6 EO PREDOMINANTLY LINEAR (DID 21)**

Scenedesmus	48H EC50	10 - 100	mg/l
-------------	----------	----------	------

**12.2. Persistence and degradability**

**Persistence and degradability:** Biodegradable. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in regulation (EC) No.648/2004 on detergents.

**12.3. Bioaccumulative potential**

**Bioaccumulative potential:** No bioaccumulation potential.

**12.4. Mobility in soil**

**Mobility:** Soluble in water.

**12.5. Results of PBT and vPvB assessment**

**PBT identification:** This product is not identified as a PBT/vPvB substance.

**12.6. Other adverse effects**

**Section 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal of packaging:** Dispose of as normal industrial waste.

[cont...]

# SAFETY DATA SHEET

ECO LOGIK CG05 - HEAVY DUTY CLEANER

Page: 7

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

**Transport class:** This product does not require a classification for transport.

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## Section 16: Other information

### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

**Phrases used in s.2 and s.3:** EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H226: Flammable liquid and vapour.

H302: Harmful if swallowed.

H304: May be fatal if swallowed and enters airways.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.