

# SAFETY DATA SHEET

SELSPEED

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name SELSPEED

Product number F116

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Floor polish remover

### 1.3. Details of the supplier of the safety data sheet

Supplier **SELDEN RESEARCH LIMITED**  
STADEN LANE  
BUXTON  
DERBYSHIRE  
SK17 9RZ  
UNITED KINGDOM

Tel. 01298 26226  
Fax. 01298 26540  
email safety@selden.co.uk

### 1.4. Emergency telephone number

National emergency telephone number Mon to Fri 8.30am to 5.00pm - 01298 26226

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification

##### Physical hazards

Not Classified

##### Health hazards

Skin Corr. 1B - H314 Eye Dam. 1 - H318 Resp. Sens. 1 - H334 Skin Sens. 1 - H317 STOT SE 3 - H335

##### Environmental hazards

Not Classified

#### Classification (67/548/EEC or 1999/45/EC)

R42/43. C;R34. Xi;R37.

### 2.2. Label elements

#### Pictogram



#### Signal word

Danger

#### Hazard statements

H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H335 May cause respiratory irritation.

#### Precautionary statements

## SELSPEED

P102 Keep out of reach of children.  
 P264 Wash hands thoroughly after handling.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P315 Get immediate medical advice/attention.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P363 Wash contaminated clothing before reuse.  
 P405 Store locked up.

**Contains** ETHYLENEDIAMINE

### 2.3. Other hazards

No other hazards known. This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>2-AMINOETHANOL</b>	<b>10-30%</b>
<b>CAS number:</b> 141-43-5 <b>EC number:</b> 205-483-3	
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>
Acute Tox. 4 - H302	C;R34 Xn;R20/21/22
Acute Tox. 4 - H312	
Acute Tox. 4 - H332	
Skin Corr. 1B - H314	
STOT SE 3 - H335	
<b>BENZYL ALCOHOL</b>	<b>5-10%</b>
<b>CAS number:</b> 100-51-6 <b>EC number:</b> 202-859-9	
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>
Acute Tox. 4 - H302	Xn;R20/22
Acute Tox. 4 - H332	
<b>ETHYLENEDIAMINE</b>	<b>1-5%</b>
<b>CAS number:</b> 107-15-3 <b>EC number:</b> 203-468-6	
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>
Flam. Liq. 3 - H226	Xn;R21/22. C;R34. R10,R42/43.
Acute Tox. 4 - H302	
Acute Tox. 3 - H311	
Acute Tox. 4 - H332	
Skin Corr. 1B - H314	
Resp. Sens. 1 - H334	
Skin Sens. 1 - H317	
Aquatic Chronic 3 - H412	

## SELSPEED

Sodium alkylether sulphate

1-5%

CAS number: 13150-00-0 EC number: —

### Classification

Skin Irrit. 2 - H315

Eye Dam. 1 - H318

Aquatic Chronic 3 - H412

### Classification (67/548/EEC or 1999/45/EC)

Xi;R38,R41.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

CAUTION! First Aid personnel must be aware of own risk of burns. Chemical burns must be dealt with immediately, do not delay.

#### Inhalation

Remove affected person from source of contamination. Get medical attention. If breathing stops, provide artificial respiration. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.

#### Ingestion

Do not induce vomiting. Give plenty of water to drink. Rinse mouth thoroughly with water. Get medical attention immediately.

#### Skin contact

Immediately remove contaminated clothing. Rinse immediately with plenty of water. Get medical attention immediately. Continue to rinse for at least 15 minutes.

#### Eye contact

Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes and get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

#### General information

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

#### Inhalation

Irritation of nose, throat and airway.

#### Ingestion

Causes chemical burns to mouth, throat and stomach.

#### Skin contact

Burning pain and severe corrosive skin damage. May cause serious chemical burns to the skin.

#### Eye contact

Severe irritation, burning and tearing. Corneal damage.

### 4.3. Indication of any immediate medical attention and special treatment needed

#### Notes for the doctor

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

The product is non-combustible. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Use fire-extinguishing media appropriate for surrounding materials.

### 5.2. Special hazards arising from the substance or mixture

#### Specific hazards

Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m<sup>3</sup>.

## SELSPEED

### **Hazardous combustion products**

When heated, vapours/gases hazardous to health may be formed.

### **5.3. Advice for firefighters**

#### **Protective actions during firefighting**

Use water to keep fire exposed containers cool and disperse vapours.

#### **Special protective equipment for firefighters**

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

#### **Personal precautions**

For personal protection, see Section 8.

### **6.2. Environmental precautions**

#### **Environmental precautions**

Any spillage needs to be contained and not allowed to enter water courses. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

### **6.3. Methods and material for containment and cleaning up**

#### **Methods for cleaning up**

Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Collect and place in suitable waste disposal containers and seal securely. For waste disposal, see Section 13. Inform authorities if large amounts are involved. Absorb in vermiculite, dry sand or earth and place into containers.

### **6.4. Reference to other sections**

#### **Reference to other sections**

For personal protection, see Section 8. For waste disposal, see Section 13.

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

#### **Usage precautions**

Avoid spilling. Avoid contact with skin and eyes.

### **7.2. Conditions for safe storage, including any incompatibilities**

#### **Storage precautions**

Store away from the following materials: Acids.

#### **Storage class**

Controlled substance storage.

### **7.3. Specific end use(s)**

#### **Specific end use(s)**

The identified uses for this product are detailed in Section 1.2.

#### **Usage description**

See product label for detailed usage and instructions.

## **SECTION 8: Exposure Controls/personal protection**

### **8.1. Control parameters**

#### **Occupational exposure limits**

#### **2-AMINOETHANOL**

Long-term exposure limit (8-hour TWA): WEL 1 ppm(Sk) 2.5 mg/m<sup>3</sup>(Sk)

Short-term exposure limit (15-minute): WEL 3 ppm(Sk) 7.6 mg/m<sup>3</sup>(Sk)

WEL = Workplace Exposure Limit

## SELSPEED

### Ingredient comments

WEL = Workplace Exposure Limits

### 8.2. Exposure controls

#### Protective equipment



#### Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

#### Eye/face protection

The following protection should be worn: Tight-fitting safety glasses.

#### Hand protection

Nitrile gloves are recommended.

#### Other skin and body protection

Wear suitable protective clothing as protection against splashing or contamination.

#### Hygiene measures

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

Clear liquid. Liquid

#### Colour

Blue.

#### Odour

Slight. Solvent.

#### pH

pH (concentrated solution): 11.5 - 12.5

#### Relative density

1.009 - 1.019 @ @ 20°C

#### Solubility(ies)

Soluble in water.

### 9.2. Other information

#### Other information

None.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

May react with other cleaning chemicals. For specific reactions refer to Section 10.5

### 10.2. Chemical stability

#### Stability

Stable at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

### 10.4. Conditions to avoid

Avoid contact with acids.

### 10.5. Incompatible materials

#### Materials to avoid

## SELSPEED

Strong acids. Reacts strongly with light metals such as aluminium and zinc, producing hydrogen which is Highly Flammable.

### **10.6. Hazardous decomposition products**

Heating may generate the following products: Toxic and corrosive gases or vapours.

## **SECTION 11: Toxicological information**

### **11.1. Information on toxicological effects**

#### **Toxicological effects**

No toxicological data is available for this mixture, however data can be provided for specific raw materials upon request.

#### **Acute toxicity - oral**

##### **ATE oral (mg/kg)**

2,525.25252525

#### **Acute toxicity - dermal**

##### **ATE dermal (mg/kg)**

6066.17647059

#### **Acute toxicity - inhalation**

##### **ATE inhalation (vapours mg/l)**

55.55555556

#### **Inhalation**

May cause damage to mucous membranes in nose, throat, lungs and bronchial system.

#### **Ingestion**

Causes burns. Harmful if swallowed.

#### **Skin contact**

Causes burns.

#### **Eye contact**

Causes burns. Risk of serious damage to eyes.

## **SECTION 12: Ecological Information**

#### **Ecotoxicity**

Not classed as Hazardous to the Environment but release to the environment should be avoided.

### **12.1. Toxicity**

Aquatic toxicity has not been carried out on this product. Data for raw materials contained in this product, when available, can be provided when necessary.

### **12.2. Persistence and degradability**

#### **Persistence and degradability**

The surfactants contained within the product comply with the biodegradability criteria as laid down in Regulation (EC) No 648/2004.

### **12.3. Bioaccumulative potential**

The product does not contain any substances expected to be bioaccumulating.

### **12.4. Mobility in soil**

#### **Mobility**

The product contains substances, which are water soluble and may spread in water systems.

### **12.5. Results of PBT and vPvB assessment**

This product does not contain any substances classified as PBT or vPvB.

### **12.6. Other adverse effects**

None known.

# SELSPEED

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal methods

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

## SECTION 14: Transport information

### 14.1. UN number

UN No. (ADR/RID)	1760
UN No. (IMDG)	1760
UN No. (ICAO)	1760

### 14.2. UN proper shipping name

Proper shipping name (ADR/RID)	CORROSIVE LIQUID,NOS (2-AMINOETHANOL, ETHYLENEDIAMINE)
Proper shipping name (IMDG)	CORROSIVE LIQUID,NOS (2-AMINOETHANOL, ETHYLENEDIAMINE)
Proper shipping name (ICAO)	CORROSIVE LIQUID,NOS (2-AMINOETHANOL, ETHYLENEDIAMINE)
Proper shipping name (ADN)	CORROSIVE LIQUID,NOS (2-AMINOETHANOL, ETHYLENEDIAMINE)

### 14.3. Transport hazard class(es)

ADR/RID class	8
IMDG class	8
ICAO class/division	8

#### Transport labels



### 14.4. Packing group

ADR/RID packing group	III
IMDG packing group	III
ICAO packing group	III

### 14.5. Environmental hazards

### 14.6. Special precautions for user

Tunnel restriction code	(E)
-------------------------	-----

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). Control of Substances Hazardous to Health Regulations 2002 (as amended).

#### EU legislation

System of specific information relating to Dangerous Preparations. 2001/58/EC. Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

# SELSPEED

## Guidance

Workplace Exposure Limits EH40. Approved Classification and Labelling Guide (Sixth edition) L131. CHIP for everyone HSG228.

## 15.2. Chemical safety assessment

No chemical assessment has been carried out as this Safety Data Sheet is for a mixture.

## SECTION 16: Other information

### General information

The following risk phrases relate to the raw materials in the product and not the product itself:-

### Revision comments

Safety Data Sheet revised to be in accordance with EU Regulation No 453/2010 - REACH Regulations.

**Revision date** 30/12/2014

**Revision** 6

### Risk phrases in full

R10 Flammable.  
R41 Risk of serious damage to eyes.  
R38 Irritating to skin.  
R42/43 May cause sensitisation by inhalation and skin contact.  
R20/22 Harmful by inhalation and if swallowed.  
R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.  
R21/22 Harmful in contact with skin and if swallowed.  
R37 Irritating to respiratory system.  
R34 Causes burns.

### Hazard statements in full

H226 Flammable liquid and vapour.  
H302 Harmful if swallowed.  
H311 Toxic in contact with skin.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H332 Harmful if inhaled.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H335 May cause respiratory irritation.  
H412 Harmful to aquatic life with long lasting effects.