



SAFETY DATA SHEET

Deb InstantFOAM

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Deb InstantFOAM

Product number 2717,2720,IAF47ML,IFS47ESP,IFS50DSP,IFS47ML,IFS1LTFSC,IFS1LTFMD,IFS1LTFSTH,IFS1LTFEN,IFS1LTFNL,IFS400ML,2718,2719,FI2720,FI2718,IFS15GSP,DIF610,DIF12400,DIF1247,DIF625

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses PT1 Human Hygiene Biocidal Product

1.3. Details of the supplier of the safety data sheet

Supplier Deb Ltd
 Denby Hall Way
 Denby
 Derbyshire
 DE5 8JZ
 Main Tel. 01773 855100
 Technical Tel 01773 855105
 reach@deb.co.uk

1.4. Emergency telephone number

Emergency telephone National Poisons Information Service (UK) 0844 8920111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards Flam. Liq. 2 - H225

Health hazards Eye Dam. 1 - H318

Environmental hazards Not Classified

Classification (67/548/EEC or 1999/45/EC) Xi;R41. F;R11.

Human health Irritating to eyes.


Environmental The product does not meet the requirement for classification as an environmental hazard in accordance with directive 1999/45/EEC

Physicochemical The product is flammable. Heating may generate flammable vapours.

2.2. Label elements

Deb InstantFOAM

Pictogram



Signal word

Danger

Hazard statements

H225 Highly flammable liquid and vapour.
H318 Causes serious eye damage.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.
P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.
P403+P235 Store in a well-ventilated place. Keep cool.
P501 Dispose of contents/container in accordance with national regulations.

Supplemental label information

Eye protection not required normally but wear eye protection if you are conducting an operation where there is a risk of this product getting in the eyes.
BPR001 Use biocides safely. Always read the label and product information before use.

Contains

PROPAN-1-OL

Supplementary precautionary statements

P233 Keep container tightly closed.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

ETHANOL CAS number: 64-17-5	EC number: 200-578-6	REACH registration number: 01-2119457610-43-XXXX	65.0%
Classification Flam. Liq. 2 - H225 Eye Irrit. 2 - H319		Classification (67/548/EEC or 1999/45/EC) F;R11	
PROPAN-1-OL CAS number: 71-23-8	EC number: 200-746-9	REACH registration number: 01-2119486761-29-XXXX	10.0%
Classification Flam. Liq. 2 - H225 Eye Dam. 1 - H318 STOT SE 3 - H336		Classification (67/548/EEC or 1999/45/EC) F;R11 Xi;R41 R67	

Deb InstantFOAM

PROPAN-2-OL		<1%
CAS number: 67-63-0	EC number: 200-661-7	REACH registration number: 01-2119457558-25-XXXX
Classification		Classification (67/548/EEC or 1999/45/EC)
Flam. Liq. 2 - H225	F;R11 Xi;R36 R67	
Eye Irrit. 2 - H319		
STOT SE 3 - H336		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

INCI	Alcohol Denat. Aqua Propyl Alcohol Bis-PEG 12 Dimethicone Coco-Glucoside Glyceryl Oleate PEG-200 Hydrogenated Glyceryl Palmate PEG-7 Glyceryl Cocoate Behentrimonium Chloride Dihydroxypropyl PEG-5 Linoleammonium Chloride Isopropyl Alcohol
-------------	---

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Get medical attention if any discomfort continues.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	DO NOT induce vomiting. Get medical attention immediately.
Skin contact	Remove contaminated clothing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	No specific symptoms known.
Ingestion	May cause nausea, headache, dizziness and intoxication.
Skin contact	None known.
Eye contact	May cause severe eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No specific recommendations.
-----------------------------	------------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Extinguish with the following media: Water spray, fog or mist. Foam, carbon dioxide or dry powder. Dry chemicals, sand, dolomite etc.
-------------------------------------	---

5.2. Special hazards arising from the substance or mixture

Specific hazards	FLAMMABLE. Forms explosive mixtures with air.
-------------------------	---

Deb InstantFOAM

Hazardous combustion products Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m³. Oxides of carbon.

5.3. Advice for firefighters

Protective actions during firefighting Fight fire from safe distance or protected location.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground. Contain spillage with sand, earth or other suitable non-combustible material.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Keep away from heat, sparks and open flame. Avoid contact with eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly closed original container in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame.

Storage class Flammable liquid storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

ETHANOL

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

PROPAN-1-OL

Long-term exposure limit (8-hour TWA): WEL 200 ppm 500 mg/m³

Short-term exposure limit (15-minute): WEL 250 ppm 625 mg/m³

Sk

PROPAN-2-OL

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³

Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m³

WEL = Workplace Exposure Limit

Deb InstantFOAM

Sk = Can be absorbed through the skin.

Ingredient comments WEL = Workplace Exposure Limits

ETHANOL (CAS: 64-17-5)

DNEL	Professional - Inhalation; local effects: 1900 mg/m ³ Professional - Dermal; Long term systemic effects: 343 mg/kg/day Professional - Inhalation; Long term systemic effects: 950 mg/m ³ Consumer - Inhalation; local effects: 950 mg/m ³ Consumer - Dermal; Long term systemic effects: 206 mg/kg/day Consumer - Inhalation; Long term systemic effects: 114 mg/m ³ Consumer - Oral; Long term systemic effects: 87 mg/kg/day
PNEC	- Marine water; 0.79 mg/l - Fresh water; 0.96 mg/l - Intermittent release; 2.75 mg/l - STP; 580 mg/l - Sediment (Freshwater); 3.46 mg/kg - Sediment (Marinewater); 2.9 mg/l - Soil; 0.63 mg/kg

PROPAN-1-OL (CAS: 71-23-8)

DNEL	Industry - Dermal; Long term systemic effects: 136 mg/kg/day Industry - Inhalation; Long term systemic effects: 268 mg/m ³ Industry - Inhalation; Short term systemic effects: 1723 mg/m ³ Consumer - Dermal; Long term systemic effects: 81 mg/kg/day Consumer - Inhalation; Long term systemic effects: 80 mg/m ³ Consumer - Inhalation; Short term systemic effects: 1036 mg/m ³ Consumer - Oral; Long term systemic effects: 61 mg/m ³
PNEC	- Fresh water; 10 mg/l - STP; 96 mg/l - Soil; 2.2 mg/kg - Sediment (Marinewater); 2.28 mg/kg - Sediment (Freshwater); 22.8 mg/kg - Intermittent release; 10 mg/l - Marine water; 1 mg/l

C20-22-ALKYLTRIMETHYLAMMONIUM CHLORIDES (CAS: 68607-24-9)

DNEL	Workers - Inhalation; Long term systemic effects: 0.49 mg/m ³ Workers - Dermal; Long term systemic effects: 1.7 mg/kg/day
PNEC	- Fresh water; 13 µg/L - Marine water; 1.3 µg/L - Intermittent release; 14 µg/L - STP; 430 µg/L - Sediment (Freshwater); 1.25 mg/kg - Sediment (Marinewater); 125 µg/L - Soil; 1 mg/kg

COCOGLUCOSIDE (CAS: 68515-73-1)

Deb InstantFOAM

DNEL	<p>Workers - Inhalation; Long term systemic effects: 420 mg/m³</p> <p>Workers - Dermal; Long term systemic effects: 595000 mg/kg/day</p> <p>General population - Inhalation; Long term systemic effects: 124 mg/m³</p> <p>General population - Dermal; Long term systemic effects: 357000 mg/kg/day</p> <p>General population - Oral; Long term systemic effects: 35.7 mg/kg/day</p>
PNEC	<ul style="list-style-type: none"> - Fresh water; 0.176 mg/l - Marine water; 0.0176 mg/l - Intermittent release; 0.27 mg/l - STP; 560 mg/l - Sediment (Freshwater); 1.516 mg/kg - Sediment (Marinewater); 0.152 mg/kg - Soil; 0.654 mg/kg

PROPAN-2-OL (CAS: 67-63-0)

DNEL	<p>Workers - Inhalation; Long term systemic effects: 500 mg/m³</p> <p>Workers - Dermal; Short term systemic effects: 888 mg/kg/day</p> <p>General population - Inhalation; Long term systemic effects: 89 mg/m³</p> <p>General population - Dermal; Long term systemic effects: 319 mg/kg/day</p> <p>General population - Oral; Long term systemic effects: 26 mg/kg/day</p>
PNEC	<ul style="list-style-type: none"> - Fresh water; 140.9 mg/l - Marine water; 140.9 mg/l - Intermittent release; 140.9 mg/l - STP; 2251 mg/l - Sediment (Freshwater); 552 mg/kg - Sediment (Marinewater); 552 mg/kg - Soil; 28 mg/kg

8.2. Exposure controls

Protective equipment



Appropriate engineering controls	Not relevant.
Eye/face protection	Not required normally but wear eye protection if you are conducting an operation where there is a risk of this product getting in the eyes.
Hand protection	Hand protection not required.
Respiratory protection	Not relevant.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Colourless.
Odour	Alcoholic.
Odour threshold	Not determined. Not determined.
pH	pH (concentrated solution): 5.0-7.5

Deb InstantFOAM

Melting point	Not determined.
Initial boiling point and range	78.6 @ 97.8 kPA°C @
Flash point	20 C°C
Evaporation rate	Not determined.
Upper/lower flammability or explosive limits	Not determined. : : Not determined.
Vapour pressure	5649 Pa @ °C
Vapour density	Not determined.
Relative density	0.845-0.854 g/ml @ 25 Deg C°C
Solubility(ies)	Soluble in water.
Partition coefficient	Not determined.
Auto-ignition temperature	475 C°C
Decomposition Temperature	Not determined.
Viscosity	Not determined.
Explosive properties	Not determined.
Oxidising properties	Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability No particular stability concerns.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Not known.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m³. Oxides of carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - dermal

Deb InstantFOAM

Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
<u>Skin corrosion/irritation</u>	
Animal data	Based on available data the classification criteria are not met.
<u>Respiratory sensitisation</u>	
Respiratory sensitisation	Based on available data the classification criteria are not met.
<u>Germ cell mutagenicity</u>	
Genotoxicity - in vivo	Does not contain any substances known to be mutagenic.
<u>Carcinogenicity</u>	
Carcinogenicity	Does not contain any substances known to be carcinogenic.
<u>Reproductive toxicity</u>	
Reproductive toxicity - development	Does not contain any substances known to be toxic to reproduction.
<u>Specific target organ toxicity - single exposure</u>	
STOT - single exposure	No information available.
<u>Specific target organ toxicity - repeated exposure</u>	
STOT - repeated exposure	No information available.
<u>Aspiration hazard</u>	
Aspiration hazard	Based on available data the classification criteria are not met.
General information	No specific health hazards known.
Inhalation	No specific health hazards known.
Ingestion	May cause nausea, headache, dizziness and intoxication.
Skin contact	Skin irritation should not occur when used as recommended.
Eye contact	Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.

Toxicological information on ingredients.

ETHANOL

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 10,470.0

Species Rat

ATE oral (mg/kg) 10,470.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 20,000.0

Species Rabbit

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ vapours mg/l) 117.0

Deb InstantFOAM

Species	Rat
ATE inhalation (vapours mg/l)	117.0
<u>Skin corrosion/irritation</u>	
Animal data	Oedema score: Very slight oedema -barely perceptible (1).

PROPAN-1-OL

<u>Acute toxicity - oral</u>	
Notes (oral LD₅₀)	LD50 >2000 mg/Kg Rat
<u>Acute toxicity - dermal</u>	
Acute toxicity dermal (LD₅₀ mg/kg)	4,000.0
Species	Rabbit
<u>Acute toxicity - inhalation</u>	
Notes (inhalation LC₅₀)	LC50 >20mg/L 4h Rat
<u>Skin corrosion/irritation</u>	
Animal data	Erythema/eschar score: No erythema (0). Oedema score: No oedema (0).
<u>Serious eye damage/irritation</u>	
Serious eye damage/irritation	H318

SECTION 12: Ecological Information

Ecotoxicity The product does not meet the requirement for classification as an environmental hazard in accordance with directive 1999/45/EEC

12.1. Toxicity

Toxicity The product does not meet the requirement for classification as an environmental hazard in accordance with directive 1999/45/EEC

Ecological information on ingredients.

ETHANOL

Acute toxicity - fish	LC50, 96 hours, 96 hours: 15300 mg/l, Pimephales promelas (Fat-head Minnow) LC ₅₀ , 96 hours: mg/l, Fish
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours, > 48 hours: 10000 mg/l, Daphnia magna EC ₅₀ , : 858 24H mg/l, Marinewater invertebrates EC ₅₀ , 48 hours: mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours, 72 hours: 275 mg/l, Freshwater algae IC ₅₀ , 72 hours: 5000 mg/l, Algae

PROPAN-1-OL

Acute toxicity - fish	LC ₅₀ , 96 hours: 4480 mg/l, Fish
------------------------------	--

Deb InstantFOAM

Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 3644 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 192 hours, 192 hours: 3100 mg/l, Freshwater algae
Acute toxicity - microorganisms	IC ₅₀ , 3 hour: >1000 mg/l, Activated sludge

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not determined.

12.4. Mobility in soil

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

Disposal methods Reuse or recycle products wherever possible. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Dispose of waste via a licensed waste disposal contractor.

SECTION 14: Transport information

General No other information known.

14.1. UN number

UN No. (ADR/RID) 1987

UN No. (IMDG) 1987

UN No. (ICAO) 1987

14.2. UN proper shipping name

Proper shipping name (ADR/RID) ALCOHOLS, N.O.S. (ETHANOL, PROPAN-1-OL)

Proper shipping name (IMDG) ALCOHOLS, N.O.S. (ETHANOL, PROPAN-1-OL)

Proper shipping name (ICAO) ALCOHOLS, N.O.S. (ETHANOL, PROPAN-1-OL)

Deb InstantFOAM

Proper shipping name (ADN) ALCOHOLS, N.O.S. (ETHANOL, PROPAN-1-OL)

14.3. Transport hazard class(es)

ADR/RID class	3
ADR/RID label	3
IMDG class	3
ICAO class/division	3

Transport labels



14.4. Packing group

ADR/RID packing group	II
IMDG packing group	II
ICAO packing group	II

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

EmS	F-E, S-D
Emergency Action Code	•3YE
Hazard Identification Number (ADR/RID)	33
Tunnel restriction code	(D/E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Deb InstantFOAM

EU legislation	<p>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).</p> <p>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).</p> <p>Commission Directive 91/322/EEC of 29 May 1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from the risks related to exposure to chemical, physical and biological agents at work.</p> <p>Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).</p> <p>REGULATION (EU) No 528/2012 (as amended) concerning the making available on the market and use of biocidal products.</p>
-----------------------	---

Water hazard classification WGK 1

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information	Use biocides safely. Always read the label and product information before use.
Key literature references and sources for data	Where Exposure Scenarios for the substances listed in Section 3 are available they have been assessed for the uses identified in this data sheet or on the product label and the appropriate relevant information is incorporated into this Safety Data Sheet.
Revision comments	Revision of information NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	12/05/2015
Revision	7
Supersedes date	03/12/2013
Risk phrases in full	R11 Highly flammable R36 Irritating to eyes. R41 Risk of serious damage to eyes. R67 Vapours may cause drowsiness and dizziness.
Hazard statements in full	H225 Highly flammable liquid and vapour. H318 Causes serious eye damage. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
Notes for Risk Phrases and Hazard Statements in Full	The full text for Risk Phrases and Hazard Statements in section 16 relates to the reference numbers in sections 2 and 3 and not necessarily the finished product classification.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.