

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : STEELBRITE
Product code : 519
Type of product : Acids,Detergent
Product group : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use,Industrial use
Industrial/Professional use spec : Industrial
For professional use only
Use of the substance/mixture : Cleaner

1.3. Details of the supplier of the safety data sheet

Manufacturer

Christeyns Professional Hygiene UK Ltd
Clover House
Macclesfield Road
SK23 7DQ Whaley Bridge, Derbyshire
United Kingdom
T 01663 733114, F 01663 733115
info.cph.uk@christeyns.com, www.christeyns-ph.co.uk

Supplier

Christeyns NV
Afrikalaan 182
9000 GENT
Belgium
T +32 (0)9/ 223 38 71, F +32 (0)9/ 233 03 44
info@christeyns.be, www.christeyns.com

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1 H314

Serious eye damage/eye irritation, Category 1 H318

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) :

Danger

Contains :

phosphoric acid; Isotridecanol, ethoxylated

Hazard statements (CLP) :

H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) :

P102 - Keep out of reach of children.
P264 - Wash hands thoroughly after handling.
P280 - Wear eye protection, protective gloves.
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P313 - Get medical advice/attention.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

STEELBRITE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Rinse skin with water or shower.
P332+P313 - If skin irritation occurs: Get medical advice/attention.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362 - Take off contaminated clothing.

2.3. Other hazards

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
phosphoric acid substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, AL, IS, NO, MK, RS, CH, TR); substance with a Community workplace exposure limit	CAS-no: 7664-38-2 EC-No.: 231-633-2 EC Index-No.: 015-011-00-6 REACH-no: 01-2119485924-24	10 – 30	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Corr. 1B, H314
Isotridecanol, ethoxylated	CAS-no: 69011-36-5 REACH-no: polymer	1 – 3	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Eye Dam. 1, H318
(2-methoxymethylethoxy)propanol substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, EE, ES, GB, GI, GR, HR, HU, IE, LT, LU, LV, MT, NL, PT, RO, SE, SI, SK, AL, IS, NO, MK, RS, CH); substance with a Community workplace exposure limit	CAS-no: 34590-94-8 EC-No.: 252-104-2 REACH-no: 01-2119450011-60	1 – 3	Not classified

Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
phosphoric acid	CAS-no: 7664-38-2 EC-No.: 231-633-2 EC Index-No.: 015-011-00-6 REACH-no: 01-2119485924-24	(10 \leq C < 25) Eye Irrit. 2; H319 (10 \leq C < 25) Skin Irrit. 2; H315 (25 \leq C \leq 100) Skin Corr. 1B; H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
Inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
Skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
Eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
Ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects skin	: Causes skin irritation. Red skin.
Acute effects eyes	: Causes serious eye damage. redness, itching, tears.
Acute effects oral route	: Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. Abdominal pain, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

STEELBRITE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed.

Incompatible products : Strong bases.

Packaging materials : polyethylene.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

(2-methoxymethylethoxy)propanol (34590-94-8)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	(2-Methoxymethylethoxy)-propanol
IOEL TWA	308 mg/m ³
	50 ppm
Remark	Skin
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
Ireland - Occupational Exposure Limits	
Local name	(2-Methoxymethylethoxy)-1-propanol [Dipropylene glycol methyl ether]
OEL TWA	308 mg/m ³
	50 ppm
Remark	IOELV (Indicative Occupational Exposure Limit Values), Skin (Substances which have the capacity to penetrate intact skin when they come in contact with it and be absorbed into the body. A substantial contribution to the total body burden via dermal exposure is possible)
Regulatory reference	Chemical Agents Code of Practice 2024

STEELBRITE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

(2-methoxymethylethoxy)propanol (34590-94-8)	
United Kingdom - Occupational Exposure Limits	
Local name	(2-methoxymethylethoxy) propanol
WEL TWA (OEL TWA)	308 mg/m ³ 50 ppm
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
phosphoric acid (7664-38-2)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Orthophosphoric acid
IOEL TWA	1 mg/m ³
IOEL STEL	2 mg/m ³
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
Ireland - Occupational Exposure Limits	
Local name	Orthophosphoric acid [Phosphoric acid]
OEL TWA	1 mg/m ³
OEL STEL	2 mg/m ³
Remark	IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2024
United Kingdom - Occupational Exposure Limits	
Local name	Orthophosphoric acid
WEL TWA (OEL TWA)	1 mg/m ³
WEL STEL (OEL STEL)	2 mg/m ³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.2. Exposure controls

Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Wear eye protection

Skin protection

Protective equipment:

Wear suitable protective clothing. Acid resistant clothing

Hand protection:

Wear protective gloves

Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

STEELBRITE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Physical state/form	: Liquid.
Odour	: odourless.
Odour threshold	: Not available
Melting point/range	: < 0 °C
Freezing point	: Not determined as it is not relevant for the characterization of the product
Boiling point/Boiling range	: > 100 °C
Flammability	: Not determined as it is not relevant for the characterization of the product Non flammable.
Lower explosion limit	: Constituents do not contain chemical groups associated with explosivity
Upper explosion limit	: Constituents do not contain chemical groups associated with explosivity
Flash point	: Not determined as it is not relevant for the characterization of the product
Autoignition temperature	: Determination of the auto-ignition temperature is only relevant for pyrophoric liquids, however the mixture is not a pyrophoric liquid so the test is not required.
Decomposition temperature	: Only applies to self-reactive substances and mixtures, organic peroxides, and other substances and mixtures that may decompose.
pH	: ≤ 1.5
Viscosity, kinematic	: Not available
Viscosity, dynamic	: 1300 – 3000 cP at 20 °C
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 1.062 g/cm ³
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

(2-methoxymethylethoxy)propanol (34590-94-8)

LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 19020 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	9510 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

STEELBRITE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

(2-methoxymethylethoxy)propanol (34590-94-8)	
LC50 Inhalation - Rat	> 3000 mg/m ³ Source: ECHA
phosphoric acid (7664-38-2)	
LD50 oral rat	> 300 mg/kg bodyweight
LD50 oral	1530 mg/kg bodyweight
LD50 dermal	2740 mg/kg bodyweight
LC50 Inhalation - Rat	850 mg/l
Skin corrosion/irritation	: Causes severe skin burns. pH: ≤ 1.5
Serious eye damage/irritation	: Causes serious eye damage. pH: ≤ 1.5
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
(2-methoxymethylethoxy)propanol (34590-94-8)	
NOAEL (animal/male, F0/P)	300 mg/kg
NOAEL (animal/male, F1)	1000 mg/kg
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
(2-methoxymethylethoxy)propanol (34590-94-8)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: other:
phosphoric acid (7664-38-2)	
NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
phosphoric acid (7664-38-2)	
Viscosity, kinematic	15.2 mm ² /s @ 20°C
11.2. Information on other hazards	
Other information	
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met
SECTION 12: Ecological information	
12.1. Toxicity	
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified
(2-methoxymethylethoxy)propanol (34590-94-8)	
LC50 - Fish [1]	> 1000 mg/l Test organisms (species): <i>Poecilia reticulata</i>
EC50 - Crustacea [1]	1919 mg/l <i>Daphnia magna</i> (Water flea)
EC50 - Other aquatic organisms [1]	1930 mg/l Test organisms (species): other aquatic crustacea:

STEELBRITE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

(2-methoxymethylethoxy)propanol (34590-94-8)	
EC50 72h - Algae [1]	> 969 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	> 969 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'
NOEC (chronic)	≥ 0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'
NOEC chronic crustacea	0.5 mg/l Daphnia magna, 22 days

phosphoric acid (7664-38-2)	
LC50 - Fish [1]	3 – 3.25 mg/l
EC50 - Crustacea [1]	> 100 mg/l
EC50 - Other aquatic organisms [1]	> 100 mg/l
EC50 - Other aquatic organisms [2]	> 100 mg/l
EC50 72h - Algae [1]	> 100 mg/l
NOEC chronic algae	100 mg/l

12.2. Persistence and degradability

STEELBRITE	
Persistence and degradability	Biodegradable. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

(2-methoxymethylethoxy)propanol (34590-94-8)	
Biodegradation	75 % 28 days

phosphoric acid (7664-38-2)	
Persistence and degradability	Rapidly degradable

Isotridecanol, ethoxylated (69011-36-5)	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

STEELBRITE	
Bioaccumulative potential	No bioaccumulation.

(2-methoxymethylethoxy)propanol (34590-94-8)	
Log Pow	0.004

phosphoric acid (7664-38-2)	
Log Pow	-0.77

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

STEELBRITE	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

STEELBRITE	
Other information	Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

STEELBRITE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Waste / unused products : Avoid release to the environment.
HP Code : HP8 - "Corrosive:" waste which on application can cause skin corrosion.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID number		
UN 3264	UN 3264	UN 3264
14.2. UN proper shipping name		
CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric acid)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric acid)	Corrosive liquid, acidic, inorganic, n.o.s. (Phosphoric acid)
Transport document description		
UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric acid), 8, III, (E)	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric acid), 8, III	UN 3264 Corrosive liquid, acidic, inorganic, n.o.s. (Phosphoric acid), 8, III
14.3. Transport hazard class(es)		
8	8	8
		
14.4. Packing group		
III	III	III
14.5. Environmental hazards		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available		

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C1
Special provisions (ADR) : 274
Limited quantities (ADR) : 5I
Packing instructions (ADR) : P001, IBC03, LP01, R001
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T7
Portable tank and bulk container special provisions (ADR) : TP1, TP28
Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Hazard identification number (Kemler No.) : 80
Orange plates : 

Tunnel code : E
EAC code : 2X
APP code : B

Transport by sea

Special provisions (IMDG) : 223, 274
Limited quantities (IMDG) : 5 L

STEELBRITE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Packing instructions (IMDG) : P001, LP01
IBC packing instructions (IMDG) : IBC03

Air transport

PCA Limited quantities (IATA) : Y841
PCA limited quantity max net quantity (IATA) : 1L
PCA packing instructions (IATA) : 852
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 856
CAO max net quantity (IATA) : 60L
Special provisions (IATA) : A3, A803

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Detergent Regulation (EC 648/2004)

Labelling of contents	
Component	%
non-ionic surfactants	<5%

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1

STEELBRITE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Skin Corr. 1	H314	On basis of test data
Eye Dam. 1	H318	On basis of test data

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.