

B 260 R I BP PACK+R100+DOSE+SB

With a powerful battery, high-performance battery charger, 100 cm working width and roller brush head: the ride-on scrubber drier B 260 RI Bp Pack for tough industrial applications.



Made in Europe



SIDE BROOM



DOSE



ROLLER BRUSH HEAD



WHEEL ANGLE SENSOR

Order no.

1.480-252.0

Technical data

EAN code		4054278953809
Drive type		Battery
Traction drive		Traction motor
Working width of brushes	cm	100
Working width with 1 side brush	mm	1220
Working width with two side brushes	mm	1220
Working width, vacuuming	cm	114
Tank of fresh/dirty water		260 / 260
Waste Container	l	26
Theoretical area performance	m ² /h	max. 10000
Practical area performance	m ²	7000
Battery type		low maintenance
Battery	V / Ah	36 / 630
Battery runtime	h	max. 5
Battery charging time	h	approx. 12
Driving speed	km/h	max. 10
Climbing ability	%	max. 15
Brush rotational speed	rpm	1250
Brush contact pressure	kg / g/cm ²	150 / 210
Aisle turning width	cm	212
Water consumption	l/min	max. 9
Sound pressure level	dB(A)	73
Total permissible weight	kg	1840
Weight without accessories	kg	1430
Dimensions (L × W × H)	mm	2000 × 1180 × 1570

Equipment


Roller brush	Piece(s)	2
Auto Fill		■
Patented tank rinsing system		■
Powerful traction drive		■
Battery and charger included		■
Automatic water stop		■
DOSE		■
Parking brake		■
Integrated sweeper		■
Adjustable steering wheel		■
Sweeping function		■
Solenoid valve		■
Squeegee, curved		■
Side brush		■
2-tank system		■
standard daytime driving light		■
Type of suction lips		Linatex®
dosing canister for cleaning agent with closed loop system		■
Kärcher colour and operating concept		■
Kärcher Intelligent Key System (KIK) with over 30 user languages and individual user rights		■
Home Base fastening possibilities for mop or similar		■
speed reduction in curves for increased safety		■

electrical and mechanical float switch

Easy Operation selector switch


■ included in delivery.

This machine requires instruction.



Newly developed roller brush head

- Greatly improved sweeping results and prevents squeegee blockages.
- The rollers can be changed in a matter of seconds and without tools.
- Excellent cleaning results.



10 km/h driving speed

- Enables a high area performance in next to no time and quick transportation operations.
- The steering angle sensor acts as a safety feature when driving in curves.
- There is automatic braking if speed is too high when driving in curves.



Includes two turbines as standard

- Excellent vacuuming results on all surfaces.
- Wear-free Ec turbines.
- Optimised airflow with the newly developed squeegee.

EQUIPMENT FOR B 260 R I BP PACK+R100+DOSE+SB

1.480-252.0



		Order no.	Description	
ROLLER BRUSHES FOR BR				
Roller brush red for replacement R100, medium, red, 914 mm	1	4.250-180.0		■
Roller brush black – R 100 Industrial, very hard, black, 914 mm	2	5.250-408.0		□
BRUSH HEADS				
Brush-head R 100/ 39"	3	2.763-056.0		■
WIPING LIPS				
Set side strip	4	4.250-167.0		■
Set side strip oil resistant	5	4.250-166.0		□
SUCTION BARS AND SQUEEGEES				
Suction bar, complete				
Suction bar parabolic B250R Industrial, 1140 mm	6	4.777-104.0		■
Squeegees for suction bars				
Suction lip set standard B260RI, Linatex®, 1260 mm	7	4.250-137.0		■
Suction lip set PU 1140mm/45in, oil-resistant, slotted, 1260 mm	8	4.250-143.0		□
KITS				
Side broom/SSD mounting kit				
Add-on kit side broom B 260RI R100	9	2.644-371.0		■
Dose mounting kit				
Add-on kit metering cleaning agents B260	10	2.644-368.0		■
Other attachment kits				
Add-on kit spraying nozzle B 250	11	2.644-392.0		□
Add-on kit ram protection suction bar	12	2.644-369.0		□
Add-on kit connection HD	13	2.644-370.0		□
Protective roof	14	2.643-849.0	This high-quality protective roof for the B 250 R scrubber drier (height 2,170 mm including protective roof) protects the operator from falling objects – tested in accordance with EN IEC 60335-2-72.	□

■ Included in delivery. □ Available accessories.

EQUIPMENT FOR B 260 R I BP PACK+R100+DOSE+SB 1.480-252.0



		Order no.	Description	
KITS				
Lighting/RKL mounting kit				
Add-on kit revolving signal light B 260	15	2.644-363.0		☐
Add-on kit BlueSpot front B260RI	16	2.644-366.0		☐
Add-on kit BlueSpot rear B260RI	17	2.644-367.0		☐
SIDE BRUSHES				
Standard side brushes				
Standard side brush	18	6.905-986.0	Standard side brush with moisture-proof universal bristles for normal soiling on all surfaces. Extremely durable.	☒
TRACTION BATTERIES AND CHARGERS				
Batteries				
Battery kit with loader 525Ah/36V Li-Ion	19	2.654-000.0		☐
Battery Chargers				
BC cpl. offp 38,4/200A 380V/50-60Hz	20	4.654-083.0		☐

■ Included in delivery. □ Available accessories.