Version: 1.2 Date: 17 February 2025



according to the REACH Regulation (EC) 1907/2006 as amended by Regulation UK SI 2019/758 and UK SI 2020/1577

URIZAP

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 **Product identifier**

> Product name URIZAP: Uric Acid Digestor Granules

Product type Mixture

1.2 Relevant identified uses of the substance or mixture

and uses advised against

Uric acid dissolver / Cleaning agent. For use in flushing and waterless urinals. Identified Use(s) Uses advised against

Anything other than the above. - Not for oral consumption or direct contact with

food and beverages

1.3 Details of the supplier of the safety data sheet

> Company Identification Thrive Sciences Ltd

> > Unit 3, Northgate Business Park White Lund Industrial Estate

Morecambe, Lancashire, LA3 3BJ

+44 (0) 1524 481513 Telephone

E-mail (competent person) sales@thrive.eco

1.4 **Emergency telephone number**

> Emergency Phone No. 0844 381 4708 Only available during office hours.

Monday to Friday 09.00 - 17.00, GMT

Languages spoken English

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Classification According to GB-CLP Regulations UK Eye Dam1; H318

> SI 2019/720 as amended **STOT SE 3, H335**

2.2 Label elements Labelling According to GB-CLP Regulations UK SI 2019/720 as amended

Product name URIZAP: Uric Acid Digestor Granules

Contains: Sodium percarbonate, Citric Acid

Hazard Pictogram(s)





Signal Word(s) Danger

Hazard Statement(s) H318 - Causes serious eye damage.

H335 - May cause respiratory irritation Precautionary Statement(s)

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray

P264: Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection P304+ P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

Version: 1.2 Date: 17 February 2025



according to the REACH Regulation (EC) 1907/2006 as amended by Regulation UK SI 2019/758 and UK SI 2020/1577

URIZAP

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician.

P501 Dispose of contents/container to a licensed facility in accordance with

national regulations

Supplemental information Not applicable

2.3 Other hazards

The preparation contains microorganisms belonging to hazard group 1 as defined by the Advisory Committee on Dangerous Pathogens (ACDP) as unlikely to cause human disease. However it should not be assumed that infection can never occur. People who are immunocompromised should not work with this product.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures Substances in preparations / mixtures.

According to Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No./Index	REACH	Hazard classification		
			No	Registration No.			
			239-707-6	N	Oxid. Solid 3; H272		
Sodium percarbonate	30 - 40	15630-89-4	15630-89-4	40 15630-89-4	239-707-0	Not yet assigned in the supply chain	Acute Tox. 4; H302
				trie supply chain	Eye Dam. 1; H318		
Citric Acid	30 - 40	77-92-9	201-069-1/	Not yet assigned in	Eye Irrit. 2; H319		
Citric Acid	30 - 40	11-92-9	607-750-00-3	the supply chain	STOT SE 3; H335		
Sodium Carbonate	20 - 30	497-19-8	207-838-8/	Not yet assigned in	Eye Irrit. 2; H319		
Socium Carbonate	20 - 30	497-19-0	011-005-00-2	the supply chain	Lye IIII. 2, 11319		
Non-pathogenic bacteria	< 0.1	-	-	-	Not classified		

Chemical identity of the substance	CAS No.	EC No.	REACH Registration No	SCL Limits
Sodium percarbonate	15630-89-4	239-707-6	Not yet assigned in the supply chain	Eye Irrit. 2; : 7.5 % ≤ C < 25 % Eye Dam. 1; : C > 25 %

For full text of H phrases see section 16.

SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Self-protection of the first aider

Inhalation

Skin contact

No action should be taken involving personal risk. Wear appropriate personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. IF exposed or concerned: Get medical advice/attention.

IF ON SKIN: Gently wash with plenty of soap and water. If irritation develops and persists, get medical attention.

Version: 1.2 Date: 17 February 2025



according to the REACH Regulation (EC) 1907/2006 as amended by Regulation UK SI 2019/758 and UK SI 2020/1577

URIZAP

Eye contact	Get medical attention immediately. Call a poison center or physician. Immediately
-------------	---

flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10

minutes. Chemical burns must be treated promptly by a physician

IF SWALLOWED: Rinse mouth. Give plenty of water to drink. Do NOT induce

vomiting. IF exposed or concerned: Get medical advice/attention.

Most important symptoms and effects, both acute Causes serious eye damage. May cause respiratory irritation.

4.3 Indication of any immediate medical attention and

special treatment needed

Ingestion

and delayed

4.2

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media Suitable extinguishing media In case of fire: Water spray, foam, dry powder or CO2.

Unsuitable extinguishing media Do not use water jet. Direct water jet may spread the fire.

5.2 Special hazards arising from the substance or No specific fire or explosion hazard. Decomposition products may include the mixture following materials: carbon dioxide carbon monoxide

5.3 Advice for firefighters Fight fire with normal precautions from a reasonable distance. Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and No action should be taken involving personal risk. Provided it is safe to do so, emergency procedures isolate the source of the leak. Wear appropriate personal protective equipment.

Avoid contact with skin and eyes. Ensure adequate ventilation. Avoid breathing dust

6.2 **Environmental precautions** Avoid release to environment

6.3 Methods and material for containment and cleaning Sweep up spilled substance. Avoid dust generation. Use vacuum equipment for collecting spilt materials, where practicable. Transfer to a container for disposal. นท

Recover the product where possible. Wash the spillage area with water.

Reference to other sections 6.4 See Also Section: 8, 13,

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling When using do not eat or drink. Wear appropriate personal protective equipment.

Avoid contact with skin and eyes. Ensure adequate ventilation. Avoid breathing dust. Wash hands and exposed skin thoroughly after handling. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and

can be hazardous. Do not reuse container.

7.2 Conditions for safe storage, including any Keep container closed. Avoid exposure to moisture, thermal decomposition. Do

incompatibilities not overheat

Stable at ambient temperatures. Recommended: <25 °C to prolong storage life. Storage temperature

Incompatible materials

Keep away from acid, bases, reducing agents, organic or combustible material. 7.3 Specific end use(s)

See Section: 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 The UK HSE (EH40) recommends the following limits for dusts: 10 mg/m3 (8hr Occupational exposure limits

TWA) total inhalable dust; 4 mg/m3 (8hr TWA) total respirable dust.

8.1.2 Biological limit value Not established.

Page: 3 of 8

Version: 1.2 Date: 17 February 2025



according to the REACH Regulation (EC) 1907/2006 as amended by Regulation UK SI 2019/758 and UK SI 2020/1577

URIZAP

8.1.3 PNECs and DNELs

SODIUM CARBONATE (CAS: 497-19-8)

DNEL

Workers - Inhalation; Long term exposure local effects 10 mg/m³ Consumers - Inhalation; Long term exposure local effects 5mg/m³

SODIUM PERCARBONATE (CAS: 15630-89-4)

DNEL

Workers - inhalation; Long term exposure Local effects 5 mg/m³ Workers - dermal; Long term exposure Local effects 12.8 mg/cm² Workers - dermal; Short term exposure Local effects 12.8 mg/cm² Consumer - Dermal route; Long term exposure Local effects 6.4 mg/cm² Consumer - Dermal route; Short term exposure Local effects 6.4 mg/cm² PNEC

aqua (freshwater) - 0.035 mg/L aqua (marine water) - 0.035 mg/L

STP - 16.24 mg/L

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure adequate ventilation. Store in a cool/low-temperature, well-ventilated (dry) place away from heat and ignition sources. A washing facility/water for eye and skin cleaning purposes should be present./ Eyewash bottles should be available.

8.2.2 Individual protection measures, such as personal protective equipment

Keep good industrial hygiene. Wear appropriate personal protective equipment. Avoid contact with skin and eyes. Do not eat, drink or smoke at the work place. Wash hands before breaks and after work.

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Eye/ face protection

Use eye protection according to EN 166, designed to protect against dusts.



Skin protection



Hand protection:

Wear protective gloves. Breakthrough time of the glove material: refer to the information provided by the gloves' producer.

Suitable material: PVC, Neoprene, Natural rubber

Body protection:

Wear work clothes with long sleeves.

Respiratory protection



An approved dust mask should be worn if dust is generated during handling. A suitable dust mask or dust respirator with filter type P (EN143 or EN405) may be appropriate.

Thermal hazards Not applicable.

8.2.3 Environmental exposure controls Not applicable.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Solid white Powder with blue flecks

Version: 1.2 Date: 17 February 2025



according to the REACH Regulation (EC) 1907/2006 as amended by Regulation UK SI 2019/758 and UK SI 2020/1577

URIZAP

Odour Characteristic
Odour threshold Not established

pH Dilluted solution 10% ~ 10.25

Melting point/freezing point Not applicable - solid Initial boiling point and boiling range Not applicable - solid Flash point Not applicable - solid Evaporation rate Not applicable - solid Flammability (solid, gas) Not flammable Not established Upper/lower flammability or explosive limits Not applicable - solid Vapour pressure Vapour density Not applicable - solid Not established Relative density Solubility(ies) Not established Partition coefficient: n-octanol/water Not established Auto-ignition temperature Not established Decomposition temperature Not established Viscosity Not applicable - solid

Explosive properties Not explosive Oxidising properties Not classified.

9.2 Other information None Known

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions Hazardous polymerisation will not occur.

10.4 Conditions to avoid Avoid prolonged storage at elevated temperature.

10.5 Incompatible materials Keep away from acid, bases, reducing agents, organic or combustible material.

10.6 Hazardous decomposition products May give off noxious and toxic fumes in a fire.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute Toxicity - Ingestion Mixture: Based upon the available data, the classification criteria are not met.

Calculated acute toxicity estimate (ATE) >2,000 mg/kg.

Acute Toxicity - Inhalation Mixture: Based upon the available data, the classification criteria are not met.

Calculated acute toxicity estimate (ATE) > 5 mg/l (Dusts)

Acute Toxicity - Skin contact Mixture: Based upon the available data, the classification criteria are not met.

Calculated acute toxicity estimate (ATE) >2,000 mg/kg.

Skin corrosion/irritation Mixture: Based upon the available data, the classification criteria are not met.

Serious eye damage/irritation Mixture: Eye Dam. 1; H318: Causes serious eye damage.

Respiratory or skin sensitisation

Mixture: Based upon the available data, the classification criteria are not met.

Mixture: Based upon the available data, the classification criteria are not met.

Carcinogenicity

Mixture: Based upon the available data, the classification criteria are not met.

Reproductive toxicity

Mixture: Based upon the available data, the classification criteria are not met.

Mixture: Based upon the available data, the classification criteria are not met.

STOT - single exposure Mixture: H335 May cause respiratory irritation.

STOT - repeated exposure Mixture: Based upon the available data, the classification criteria are not met.

Aspiration hazard Mixture: Based upon the available data, the classification criteria are not met.

Toxicological information on ingredients:

SODIUM PERCARBONATE (CAS: 15630-89-4)

Acute toxicity oral (LD $_{50}$ mg/kg) 1,034.0mg/kg Species Rat Acute toxicity dermal (LD $_{50}$ mg/kg) 2000 mg/kg Rat

Version: 1.2 Date: 17 February 2025



according to the REACH Regulation (EC) 1907/2006 as amended by Regulation UK SI 2019/758 and UK SI 2020/1577

URIZAP

SODIUM CARBONATE (CAS: 497-19-8)

Acute toxicity oral (LD_{50} mg/kg) 2800 mg/kg Species Rat Acute toxicity dermal (LD_{50} mg/kg) 2000 mg/kg Rat Acute toxicity Inhalation (LD_{50} mg/l) 2.3 mg/l Rat

11.2 Other information None.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity Mixture: Based upon the available data, the classification criteria are not met.

Estimated LC50 (Mixture): > 100 mg/l.

Sodium Percarbonate (CAS 15630-89-4) LC₅₀, (96h) 70.7mg/L, Pimephales promelas (Short–term toxicity to fish)

EC₅₀ (48h) 4.9mg/L, Daphnia pulex, (Short-term toxicity to aquatic

invertebrates)

Sodium Carbonate (CAS: 497-19-8) LC_{50} , (96h) 300 mg/l, Lepomis macrochirus (Bluegill), (Short–term toxicity to

fish)

EC₅₀, (48h) 200 mg/l, Ceriodaphnia cf. dubia, (Short-term toxicity to aquatic

invertebrates)

Citric Acid (CAS 77-92-9) LC₅₀ (48h) 440 mg/L, Leuciscus idus melanotus, (Short-term toxicity to fish)

EC₅₀, (24h) 1535 mg/l, Daphnia magna, (Short-term toxicity to aquatic

invertebrates)

12.2 Persistence and degradability No data for the mixture as a whole.

Sodium Percarbonate (CAS 15630-89-4) Not applicable for inorganic substances.

Sodium Carbonate (CAS: 497-19-8) Not applicable for inorganic substances.

Citric Acid (CAS 77-92-9) Readily biodegradable. % Biodegradation (19 days): 100 (OECD301E)

12.3 Bioaccumulative potential No data for the mixture as a whole.

Sodium Percarbonate (CAS 15630-89-4) Not applicable for inorganic substances.

Sodium Carbonate (CAS: 497-19-8) Not applicable for inorganic substances.

Citric Acid (CAS 77-92-9) The substance has low potential for bioaccumulation. Low log Kow: <3

12.4 Mobility in soil No data for the mixture as a whole.

Sodium Percarbonate (CAS 15630-89-4) No data available

Sodium Carbonate (CAS: 497-19-8) No data available

Citric Acid (CAS 77-92-9) No data available

12.5 Results of PBT and vPvB assessment Not classified as PBT or vPvB. None of the substances in this product fulfil the

criteria for being regarded as a PBT or vPvB substance.

12.6 Other adverse effects None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Disposal should be in accordance with local, state or national legislation. Handle

contaminated packages in the same way as the substance itself. Non-

Version: 1.2 Date: 17 February 2025



according to the REACH Regulation (EC) 1907/2006 as amended by Regulation UK SI 2019/758 and UK SI 2020/1577

URIZAP

contaminated packages may be recycled. Uncleaned empties should be

disposed of in the same manner as the contents. Recover or recycle if possible.

HP4; Irritant — skin irritation and eye damage

HP 5; Specific Target Organ Toxicity (STOT)

13.2 Additional information

Waste classification according to Directive 2008/98/EC (Waste Framework Directive)

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

		ADR/RID	IMDG	IATA/ICAO	
14.1	UN number	Not applicable	Not applicable	Not applicable	
14.2	UN proper shipping name	Not applicable	Not applicable	Not applicable	
14.3	Transport hazard class(es)	Not applicable	Not applicable	Not applicable	
14.4	Packing group	Not applicable	Not applicable	Not applicable	
14.5	Environmental hazards	Not applicable	Not applicable	Not applicable	
14.6	Special precautions for user	Not applicable			
14.7	Transport in bulk according to Annex II of Marpol	Not applicable			
	and the IBC Code				

14.8 Additional Information None

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU regulations

Authorisations and/or restrictions on use Not restricted GB Regulations Not restricted

Detergent regulations 2004/648/ECLabelling; Contains more than 30% - oxygen-based bleaching agents, <5%

perfumes (Linalool)

15.1.2 National regulations

Wassergefährdungsklasse (Germany) Water hazard class: 1 (Self classification)

15.2 Chemical Safety Assessment A chemical safety assessment is not required under REACH.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

Sections indicated with the following have been revised

Previous issue 1.1 Date: 19 April 2023

References:

Existing Safety Data Sheets (SDSs).

GB Mandatory Classification list for; Sodium Carbonate (CAS No. 497-19-8); Citric Acid (CAS No. 77-92-9)

Existing ECHA registration for Sodium Percarbonate (CAS No. 15630-89-4); Sodium Carbonate (CAS No. 497-19-8); Citric Acid (CAS No. 77-92-9)

Classification of the substance or mixture according to	Classification Procedure
The retained CLP Regulation (EU) No 1272/2008, as	
amended for Great Britain	
Ox. Sol. – Not classified	Expert judgement and weight of evidence.
Eye Dam.1	Threshold Calculation
STOS SE 3	Threshold Calculation

Legend

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

Version: 1.2 Date: 17 February 2025



according to the REACH Regulation (EC) 1907/2006 as amended by Regulation UK SI 2019/758 and UK SI 2020/1577

URIZAP

CAS Chemical Abstracts Service
DNEL Derived No Effect Level
EC European Community
ECHA European Chemicals Agency

EU European Union

IATA International Air Transport Association
ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods

LC50 Lethal concentration at which 50% of the population is killed

LD50 Lethal dose at which 50% of the population is killed

LTEL Long Term Exposure Limit

OECD Organisation for Economic Cooperation and Development

PBT Persistent, Bioaccumulative and Toxic
PNEC Predicted No Effect Concentration

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Regulations concerning the international railway transport of dangerous goods

STEL Short Term Exposure Limit
TWA Time Weighted Average

UN United Nations

vPvB very Persistent and very Bioaccumulative

Hazard classification / Classification code:

Ox. Sol. 3; Oxidising solid, Category 3 Acute Tox. 4; Acute Toxicity, Category 4 Eye Dam. 1; Eye damage, category 1 Eye Irrit. 2; Eye Irritation, Category 2

STOT SE 3; Specific Target Organ Toxicity — Single Exposure, Category

3

Hazard Statement(s)

H272: May intensify fire; oxidiser. H302: Harmful if swallowed. H318: Causes serious eye damage.

H319: Causes serious eye irritation. H335: May cause respiratory irritation.

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Thrive gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Thrive accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

Exposure scenarios for substances in this preparation are not available.