



SAFETY DATA SHEET ULTRAPAC RENOVATE

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name ULTRAPAC RENOVATE

Product number A217

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses A highly concentrated multi-surface, heavy duty industrial cleaner for use on floors, walls, carpets, hard surfaces, porous surfaces and many other professional and disaster restoration applications. Ultrapac Renovate contains a unique, solvent-free formula designed to penetrate and lift carbon, soot, smoke, grease, rubber and deeply ingrained soils.

1.3. Details of the supplier of the safety data sheet

Supplier www.prochem.co.uk
Prochem Europe Ltd
Oakcroft Road
Chessington
Surrey
KT9 1RH
Telephone: 020 8974 1515 (office hours 8am to 5pm Monday to Friday)
Fax: 020 8974 1511
sales@prochem.co.uk

1.4. Emergency telephone number

Emergency telephone 24 hr emergency number +44 1235 239670.
Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department, who may seek advice from the UK National Poisons Information Service, where our full product details are held.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Met. Corr. 1 - H290

Health hazards Skin Corr. 1B - H314 Eye Dam. 1 - H318

Environmental hazards Not Classified

Human health Causes severe skin burns and eye damage. Spray/mists may cause respiratory tract irritation. Ingestion may cause: Nausea, vomiting. May cause chemical burns in mouth and throat.

Environmental The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment. The product is expected to be biodegradable.

Physicochemical May be corrosive to metals.

2.2. Label elements

ULTRAPAC RENOVATE

Hazard pictograms



Signal word

Danger

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P102 Keep out of reach of children.

P260 Do not breathe spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/ doctor.

Contains

Alcohols C9-11, ethoxylated

Detergent labelling

5 - < 15% phosphates, < 5% cationic surfactants, < 5% non-ionic surfactants, < 5% perfumes,
Contains d-Limonene, DMDM Hydantoin, Iodopropynyl butylcarbamate

2.3. Other hazards

See section 8 for details of exposure limits.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Tetrapotassium pyrophosphate		5-10%
CAS number: 7320-34-5	EC number: 230-785-7	
Classification		
Eye Irrit. 2 - H319		
Alcohols C9-11, ethoxylated		1-5%
CAS number: 68439-46-3	EC number: 614-482-0	
Classification		
Acute Tox. 4 - H302		
Eye Dam. 1 - H318		

ULTRAPAC RENOVATE

Quaternary ammonium compounds, C12-18-alkyl(hydroxyethyl)dimethyl, chlorides		<1%
CAS number: 85736-63-6	EC number: 931-275-3	
M factor (Acute) = 1		
Classification Acute Tox. 4 - H302 Skin Corr. 1C - H314 STOT RE 2 - H373 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411		
Disodium metasilicate		<1%
CAS number: 6834-92-0	EC number: 229-912-9	
Classification Met. Corr. 1 - H290 Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Ingestion	Drink a few glasses of water or milk. Rinse mouth thoroughly with water. Get medical attention immediately. Never give anything by mouth to an unconscious person. Do not induce vomiting.
Skin contact	Rinse immediately with plenty of water. Get medical attention if irritation persists after washing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Ingestion	May cause discomfort if swallowed. Nausea, vomiting.
Skin contact	Causes severe burns.
Eye contact	Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Extinguish with the following media: Water spray, dry powder or carbon dioxide.
-------------------------------------	---

5.2. Special hazards arising from the substance or mixture

ULTRAPAC RENOVATE

Specific hazards	No unusual fire or explosion hazards noted.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Oxides of carbon.

5.3. Advice for firefighters

Special protective equipment for firefighters	No specific recommendations.
--	------------------------------

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
-----------------------------	---

6.2. Environmental precautions

Environmental precautions	Do not discharge into drains or watercourses or onto the ground.
----------------------------------	--

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
--------------------------------	--

6.4. Reference to other sections

Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13.
------------------------------------	---

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.
--------------------------	--

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions	Store in closed original container at temperatures between 5°C and 30°C. Keep out of the reach of children.
----------------------------	---

7.3. Specific end use(s)

Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
----------------------------	---

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Disodium metasilicate

Short-term exposure limit (15-minute): SUP 2 mg/m³

SUP = Supplier's recommendation.

8.2. Exposure controls

Protective equipment



Appropriate engineering controls	Provide adequate ventilation.
---	-------------------------------

ULTRAPAC RENOVATE

Eye/face protection	Side shield safety glasses are recommended when handling concentrate or during spray application.
Hand protection	Wear protective gloves. It is recommended that gloves are made of the following material: Nitrile rubber. Protective gloves should be inspected for wear before use and replaced regularly in accordance with the manufacturers specifications.
Hygiene measures	Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.
Respiratory protection	For situations where recommended exposure limits may be exceeded or where there is a risk of inhalation of fine spray mists, a suitable respirator face mask is recommended.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Clear liquid.
Colour	Pink.
Odour	Floral.
pH	pH (concentrated solution): 12 pH (diluted solution): 10.5
Melting point	Not determined.
Initial boiling point and range	100°C
Flash point	Not applicable.
Evaporation rate	Not determined.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	1.06
Solubility(ies)	Soluble in water.
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Viscosity	Not determined.
Explosive properties	Not applicable.
Oxidising properties	Not applicable.

9.2. Other information

Other information	None.
--------------------------	-------

9.2.1 – Information regarding physical hazard classes.	Corrosiveness: decision to classify based on measured pH and ingredients with the same classification.
---	--

9.2.2 – Other safety characteristics.	No specific test data are available.
--	--------------------------------------

SECTION 10: Stability and reactivity

10.1. Reactivity

ULTRAPAC RENOVATE

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Not determined.

10.4. Conditions to avoid

Conditions to avoid Protect from freezing and direct sunlight. Store in closed original container at temperatures between 5°C and 30°C.

10.5. Incompatible materials

Materials to avoid anionic surfactants Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal decomposition or combustion products may include the following substances: Oxides of carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects The product irritates mucous membranes and may cause abdominal discomfort if swallowed. Ingestion may cause: Nausea, vomiting. May cause chemical burns in mouth and throat. Excessive inhalation of spray, mist or vapour may cause temporary respiratory irritation.

Acute toxicity - oral

ATE oral (mg/kg) 15,960.16

Skin corrosion/irritation

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/irritation

Serious eye damage/irritation Contact with concentrate May cause severe eye irritation. May cause possible injury if not promptly rinsed. May cause blurred vision and serious eye damage.

Skin sensitisation

Skin sensitisation Contains Limonene

Germ cell mutagenicity

Genotoxicity - in vivo No effects expected based upon current data.

Carcinogenicity

Carcinogenicity No effects expected based upon current data.

Reproductive toxicity

Reproductive toxicity - fertility No effects expected based upon current data.

11.2 Information on Other Hazards

11.2.2 Information on other hazards

Toxicological information on ingredients.

ULTRAPAC RENOVATE

Tetrapotassium pyrophosphate

Acute toxicity - oral

Acute toxicity oral (LD₅₀ 2,000.0
mg/kg)

Species Mouse

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 4,000.0
mg/kg)

Species Rabbit

Alcohols C9-11, ethoxylated

Acute toxicity - oral

Acute toxicity oral (LD₅₀ 300.0
mg/kg)

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2,000.0
mg/kg)

Quaternary ammonium compounds, C12-18-alkyl(hydroxyethyl)dimethyl, chlorides

Acute toxicity - oral

Acute toxicity oral (LD₅₀ 2,000.0
mg/kg)

Species Rat

ATE oral (mg/kg) 2,000.0

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEL 75 mg/kg, Oral, Rat

SECTION 12: Ecological information

12.1. Toxicity

Toxicity The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

Ecological information on ingredients.

Alcohols C9-11, ethoxylated

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, : > 10 mg/l,

Acute toxicity - aquatic invertebrates EC₅₀, : > 1 mg/l,

Acute toxicity - aquatic plants IC₅₀, : > 10 mg/l,

Quaternary ammonium compounds, C12-18-alkyl(hydroxyethyl)dimethyl, chlorides

Acute aquatic toxicity

ULTRAPAC RENOVATE

LE(C)₅₀	0.1 < L(E)C ₅₀ ≤ 1
M factor (Acute)	1
Acute toxicity - fish	LC ₅₀ , 96 hours: 4.2 mg/l, Brachydanio rerio (Zebra Fish)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 0.53 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: 0.35 mg/l, Scenedesmus subspicatus

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in The Detergents Regulations (as amended).

12.3. Bioaccumulative potential

Bioaccumulative potential Not known.

Partition coefficient Not determined.

12.4. Mobility in soil

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

12.7 Other Adverse Effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Empty containers should be rinsed with water then crushed and disposed of at legal waste disposal site.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1760

UN No. (IMDG) 1760

14.2. UN proper shipping name

Corrosive liquid, N.O.S. (contains disodium trioxosilicate and N,N-bis(carboxymethyl)-alanin, trisodium salt)

14.3. Transport hazard class(es)

ADR/RID class 8

IMDG class 8

14.4. Packing group

ADR/RID packing group III

IMDG packing group III

ULTRAPAC RENOVATE

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Supplied in accordance with "Limited Quantity" provisions.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78
and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	REACH Regulation UK SI 2019/758, as amended, and UK SI 2020/1577. GB-CLP Regulation, UK SI 2019/720 and UK SI 2020/1567. Detergents (Amendment) (EU Exit) Regulations UK SI 2020/1617. The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).
-----------------------------	---

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information	Telephone 020 8974 1515
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	08/12/2022
Revision	7
Supersedes date	16/12/2020
Please note:	Where abbreviations have been used elsewhere the full text has been written below, for the classification of the product please refer to section 2.
Hazard statements in full	H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects.
Signature	Aaron Saunders

For additional information on safety, training and use of this product, contact the supplier. This product is intended for professional use only. The information given is intended to be of assistance to users but is without guarantee. Variations can occur in application and users are advised to conduct their own tests. Suggestions for use neither give nor imply any guarantee as to the intended use.